

A Radiation-Induced Gene Signature Distinguishes Post-Chernobyl from Sporadic Papillary Thyroid Cancers

Authors: Port, M., Boltze, C., Wang, Y., Röper, B., Meineke, V., et al.

Source: Radiation Research, 168(6): 639-649

Published By: Radiation Research Society

URL: https://doi.org/10.1667/RR0968.1

A Radiation-Induced Gene Signature Distinguishes Post-Chernobyl from Sporadic Papillary Thyroid Cancers

M. Port, a,b C. Boltze, Y. Wang, B. Röper, V. Meineke and M. Abenda,1

^a Bundeswehr Institute of Radiobiology, German Armed Forces, Munich, Germany; ^b Department of Hematology, Hemostasis and Oncology, Hannover Medical School, Hannover, Germany; ^c Department of Pathology, University of Rostock, Rostock, Germany; ^d Institute for Bioinformatics, German Research Center for Environment and Health, Neuherberg, Germany; and ^e Department of Radiotherapy and Radiation Oncology, Klinikum rechts der Isar, Technical University of Munich, Germany

Port, M., Boltze, C., Wang, Y., Röper, B., Meineke, V. and Abend, M. A Radiation-Induced Gene Signature Distinguishes Post-Chernobyl from Sporadic Papillary Thyroid Cancers. *Radiat. Res.* 168, 639–649 (2007).

We investigated selected gene targets to differentiate radiation-induced papillary thyroid cancers (PTCs) from other etiologies. Total RNA was isolated from 11 post-Chernobyl PTCs and 41 sporadic PTCs characterized by a more aggressive tumor type and lacking a radiation exposure history. RNA from 10 tumor samples from both groups was pooled and hybridized separately on a whole genome microarray for screening. Then 92 selected gene targets were examined quantitatively on each tumor sample using an RTQ-PCR-based low-density array (LDA). Screening for more than fivefold differences in gene expression between the groups by microarray detected 646 up-regulated and 677 down-regulated genes. Categorization of these genes revealed a significant (P <0.0006) over-representation of the number of up-regulated genes coding for oxidoreductases, G-proteins and growth factors, while the number of genes coding for immunoglobulin appeared to be significantly down-regulated. With the LDA, seven genes (SFRP1, MMP1, ESM1, KRTAP2-1, COL13A1, BAALC and PAGE1) made a complete differentiation between the groups possible. Gene expression patterns known to be associated with a more aggressive tumor type in older patients appeared to be more pronounced in post-Chernobyl PTC, thus underlining the known aggressiveness of radiation-induced PTC. Seven genes were found that completely distinguished post-Chernobyl (PTC) from sporadic PTC. © 2007 by Radiation Research Society

INTRODUCTION

Thyroid cancer is the third most common solid tumor in children and adolescents (I). Radiation exposure at a young age is known to cause thyroid cancer, predominantly of the papillary type (2, 3). The risk of thyroid tumors is increased

linearly for mean doses as low as 100 mGy (4). As a result of the Chernobyl nuclear reactor accident (April 1986), an enormous increase [approximately 30-fold, especially in those <1 year old at exposure; for details see ref. (5)] in the incidence of childhood thyroid carcinoma has been observed in Belarus and Ukraine and to a lesser extent in the Russian Federation starting in 1990 (6). A comparison of these tumors with carcinomas in patients in the same age group in Italy and France revealed that the post-Chernobyl thyroid carcinomas were less influenced by gender and were nearly always papillary (7). A solid papillary histological type was found in 93% of children in the Ukraine (8), and an increased prevalence of ultrasonographic thyroid abnormalities (nodules, cysts) was found (9, 10). The tumors appeared to be more aggressive at presentation with lymph node metastasis in 60-80% of patients; other extrathyroidal spread and venous invasion were commonly observed (11, 12). The tumors were shown to be more frequently associated with thyroid autoimmunity and developed after a short latent period of 4-5 years (13). RET activation/rearrangements were found in tumors nearly 70% of the patients (6).

The exact impact of the Chernobyl accident on the development of thyroid cancer in the Ukraine and Europe has been difficult to determine. For example, between 1980 and 2000 cancer of the thyroid increased significantly in France (14). Epidemiological evidence did not support a link with the Chernobyl accident, but the Thyroid Cancer Committee recommended a national registry dedicated to thyroid cancer in young people (14). In Belgium, four children aged 2 months to 10 years at the time of the Chernobyl accident developed thyroid cancer shortly thereafter. This represented an unusual increase in thyroid cancer incidence in adolescents. The question arose as to whether the occurrence of thyroid cancer could be related to the radioactive clouds that had passed over Belgium (3). Similarly, in England, population-based data on thyroid carcinomas were obtained from the Northern Region Young Person's Malignant Disease Registry to address the question as to whether the increasing incidence might be related to the Chernobyl ac-

¹ Address for correspondence: Bundeswehr Institute of Radiobiology, German Armed Forces, Neuherbergstr. 11, 80937 Munich: e-mail: michaelabend@bundeswehr.org.

cident (15). Even in Belarus there was a debate about whether the reported increase in thyroid cancer was real and attributable to radiation or was an artifact due to incorrect histological diagnosis, more complete case reporting, and mass screening of children after the accident (16).

Due to these uncertainties, scientists have attempted to identify biological markers for radiation-induced thyroid cancer. Our study focused on a comparison of the same histology that had developed due to a different etiology. For this reason, RNA from tumor tissue of Belarusian patients exposed to radiation after the Chernobyl nuclear accident and RNA from a control group were hybridized on a whole genome microarray for screening of potentially upregulated or down-regulated genes. Microarray results are semiquantitative and must be validated with another method such as real-time quantitative polymerase chain reaction (RTQ-PCR). Nearly 100 of the most promising genes were examined quantitatively for each of the tumor samples with a recently developed RTQ-PCR-based technology called low-density array (LDA) to identify the most promising genes for distinguishing between sporadic and radiationinduced PTC.

MATERIALS AND METHODS

Tumor Samples

We examined thyroid cancers from 11 patients diagnosed up to 15 years after external and internal radiation exposure due to the Chernobyl nuclear accident, with a median age of 18 years at exposure (range 15-22 years; eight females, three males; Table 1). Patients were located within 10-50 km from the reactor during the accident. Forty-eight hours after the accident, the population living within about 20 km was evacuated. At that time the absorbed intrathyroid dose was estimated to be 0.15-1.0 Gy for 90%, 1-5 Gy for 9%, and >10 Gy for 1% of the evacuated children (17). After total thyroidectomy due to advanced carcinoma, samples of the thyroid tumor tissue were taken and stored at -80°C. Cryopreserved tumor tissues from 41 Caucasian patients (Table 1) in southeastern Germany diagnosed with thyroid carcinoma of similar histology but lacking a radiation exposure history (median age 60 years, range 15-83 years; 23 females, 18 males) served as controls. Finally, four individuals of the control group with a median age of 24 years were selected as a closer match to the median age of 18 years of the Chernobyl group, and normalized gene expression was examined separately (Fig. 5B). The tumors were analyzed histologically by two pathologists according to the WHO classification. Only papillary thyroid histologies and no follicular subtypes were included in this study. Tumor stage was based on the TNM tumor classification system (18). The studies were approved by the local ethics committees of Otto-von-Guericke-University, Magdeburg, and all patients gave their written consent.

RNA Isolation

Cryopreserved tissues were carefully thawed in RNA-later solution (Qiagen, Hilden, Germany), homogenized (Homogenizer, Omni, Warrenton, VA), and digested (proteinase K, 20 mg/ml; Invitrogen, Karlsruhe, Germany). Total RNA was isolated (RNeasy Mini Kit, Qiagen) and the remaining DNA was digested (RNase free DNase Set, Qiagen) according to the manufacturer's instructions (Applied Biosystems, Weiterstadt, Germany). RNA was stored at -80° C until it was used for gene expression arrays and RTQ-PCR analysis.

To control the quality and purity of isolated total RNA, spectropho-

TABLE 1
Summary of the Clinical Parameters and Gene
Alterations of the 11 Post-Chernobyl PTCs and 41
Sporadic PTCs Studied

Name	Sporadic FTCs Studied					
Note	Sample					
X010	-	Age	Sex	TNM	Genotype	
X010	Post-Cherr	nobyl				
X027 20 female T2N0M0 RET/PTC1 X028 22 male T3N1M1 RET/PTC3 X030 16 female T2N1M0 RET/PTC1 X035 22 male T2N0M0 no RET rearrangement X039 18 female T2N1M0 RET/PTC3 X049 17 female T3N1M1 no RET rearrangement X051 19 female T2N0M0 no RET rearrangement X089 18 female T2N1M0 RET/PTC3 Sporadic RET/PTC3 Tearrangement A203 55 male T1N0M0 no RET rearrangement A250 15 female T1N0M0 no RET rearrangement A264 37 male T2N1M0 no RET rearrangement A263 58 male T1N0M0 no RET rearrangement A264 37 male T1N0M0 no RET rearrangement A270 72 female </td <td></td> <td>•</td> <td>male</td> <td>T2N1M0</td> <td>no RET rearrangement</td>		•	male	T2N1M0	no RET rearrangement	
X028 22 male T3N1M1 RET/PTC3 X030 16 female T2N1M0 RET/PTC3 X035 22 male T2N1M0 RET/PTC1 X048 15 female T2N1M0 RET/PTC3 X049 17 female T3N1M1 no RET rearrangement X051 19 female T2N0M0 no RET rearrangement X089 18 female T2N1M0 RET/PTC3 Sporadic <td a="" color="" of="" rows="" td="" th<="" the=""><td></td><td></td><td></td><td></td><td>2</td></td>	<td></td> <td></td> <td></td> <td></td> <td>2</td>					2
X030 16 female male T2N0M0 RET/PTC3 X035 22 male T2N0M0 no RET rearrangement RET/PTC1 X048 15 female T2N1M0 RET/PTC3 X049 17 female T3N1M1 no RET rearrangement rearrangement rearrangement no RET rear						
X035 22 male T2N1M0 RET/PTC1 X039 18 female T2N1M0 RET/PTC1 X048 15 female T3N1M0 RET/PTC3 X049 17 female T3N1M1 no RET rearrangement X051 19 female T2N0M0 no RET rearrangement X089 18 female T2N1M0 RET/PTC3 X090 15 female T2N1M0 RET/PTC3 X090 15 female T1N0M0 no RET rearrangement A203 55 male T1N0M0 no RET rearrangement A250 15 female T1N0M0 no RET rearrangement A264 37 male T2N1M0 no RET rearrangement A269 58 male T2N0M0 no RET rearrangement A270 72 female T3N1M0 RET/PTC1 A271 80 female T3N1M0 no RET rearrangement A272 40 mal						
X039 18 female female T2N1M0 RET/PTC1 X048 15 female T3N1M1 no RET rearrangement no RET rearrangement T3N1M1 X049 17 female T2N1M0 RET/PTC3 X089 18 female T2N1M0 RET/PTC3 X090 15 female T2N1M0 RET/PTC3 Sporadic A203 55 male T1N0M0 no RET rearrangement no RET rearrangem						
X048 15 female T3N1M0 RET/PTC3 X049 17 female T3N1M1 no RET rearrangement X051 19 female T2N0M0 no RET rearrangement X089 18 female T2N1M0 RET/PTC3 X090 15 female T2N1M0 RET/PTC3 Sporadic T1N0M0 no RET rearrangement no RET rearrangement A203 55 male T1N0M0 no RET rearrangement A250 15 female T1N0M0 no RET rearrangement A269 58 male T2N0M0 no RET rearrangement A269 58 male T2N0M0 no RET rearrangement A270 72 female T3N1M0 RET/PTC1 A271 80 female T3N1M0 RET/PTC1 A272 40 male T1N0M0 no RET rearrangement A273 47 male T2N1M0 no RET rearrangement A274 66						
X049 17 female female x051 T3NIM1 no RET rearrangement no RET rearrangement rearrangement x089 18 female female x0800 T2NIM0 RET/PTC3 Sporadic A203 55 male x1NOM0 T1NOM0 no RET rearrangement						
X051 19 female T2N0M0 no RET rearrangement X089 18 female T2N1M0 RET/PTC3 X090 15 female T4N1M1 RET/PTC3 Sporadic A203 55 male T1N0M0 no RET rearrangement A207 35 male T1N0M0 no RET rearrangement A250 15 female T1N0M0 no RET rearrangement A264 37 male T2N0M0 no RET rearrangement A269 58 male T2N0M0 no RET rearrangement A270 72 female T3N1M0 RET/PTC1 A271 80 female T3N1M0 RET/PTC1 A274 40 male T2N0M0 no RET rearrangement A273 47 male T2N0M0 no RET rearrangement A283 44 male T1N0M0 no RET rearrangement A284 78 female T1N0M0 no RET rearrangement						
X089 18 female T2NIM0 RET/PTC3 Sporadic A203 55 male T1N0M0 no RET rearrangement A207 35 male T1N0M0 no RET rearrangement A250 15 female T1N0M0 no RET rearrangement A264 37 male T2N1M0 no RET rearrangement A269 58 male T2N0M0 no RET rearrangement A270 72 female T3N1M0 RET/PTC1 A271 80 female T3N1M0 RET/PTC1 A272 40 male T1N0M0 no RET rearrangement A273 47 male T2N0M0 no RET rearrangement A273 47 male T2N0M0 no RET rearrangement A283 44 male T1N0M0 no RET rearrangement A284 78 female T1N0M0 no RET rearrangement A285 71 female T1N0M0 no RET rearrangement						
Sporadic						
Sporadic						
A203 55 male T1N0M0 no RET rearrangement A207 35 male T1N0M0 no RET rearrangement A250 15 female T1N0M0 no RET rearrangement A264 37 male T2N1M0 no RET rearrangement A269 58 male T2N0M0 no RET rearrangement A270 72 female T1N0M0 no RET rearrangement A271 80 female T3N1M0 RET/PTC1 A272 40 male T1N0M0 no RET rearrangement A273 47 male T2N0M0 no RET rearrangement A274 66 female T2N1M0 RET/PTC1 A275 83 male T1N1M0 no RET rearrangement A283 44 male T1N1M0 no RET rearrangement A284 78 female T1N1M0 no RET rearrangement A285 71 female T1N1M0 no RET rearrangement A286 60 female T1N0M0 no RET rearrangement A297 78 male T1N0M0 no RET rearrangement A290 55 female T2N1M0 no RET rearrangement A291 83 female T1N0M0 no RET rearrangement A292 70 female T2N0M0 no RET rearrangement A293 64 male T3N1M0 no RET rearrangement A294 55 female T2N0M0 no RET rearrangement A296 60 male T2N1M0 no RET rearrangement A297 62 female T2N0M0 no RET rearrangement A298 70 female T2N1M0 no RET rearrangement A298 70 female T2N1M0 no RET rearrangement A298 70 female T2N1M0 no RET rearrangement A298 70 female T1N0M0 no RET rearrangement A302 72 male T1N0M0 no RET rearrangement A302 66 female T1N1M0 RET/PTC1 A306 32 female T1N1M0 RET/PTC1 A307 67 female T1N0M0 no RET rearrangement A329 68 female T1N1M0 no RET rearrangement A329 69 male T1N1M0 no RET rearrangement A320 67 male T2N1M0 no RET rearrangement A321 25 female T1N0M0 no RET rearrangement A322 44 female T1N0M0 no RET rearrangement A323 66 male T2N1M0 no RET rearrangement A324 55 male T2N1M0 no RET rearrangement A325 66 male T2N1M0 no RET rearrangement A326 66 male T2N1M0 no RET rearrangement A327 27 female T1N0M0 no RET rearrangement A331 28 male T1N0M0 no RET rearrangement A332 66 male T2N1M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A334 22 female T3N1M0 no RET rearrangement A336 55 male T3N1M0 no RET		13	Temale	14111111	KEI/FIC5	
A207 35 male T1N0M0 no RET rearrangement A250 15 female T1N0M0 no RET rearrangement no RET rearrangement male T2N1M0 no RET rearrangement no RET rearrangement T2N0M0 no RET rearrangement T2N0M0 no RET rearrangement T2N0M0 no RET rearrangement T1N0M0 no RET rearrangement T1N0M0 no RET rearrangement T2N1M0 RET/PTC1 no RET rearrangement T2N1M0 no RET rearrangement T2N1M0 no RET rearrangement T2N1M0 no RET rearrangement T2N1M0 no RET rearrangement T1N0M0 no RET rearrangement T1N1M0 no RET rearrangement T1N0M0 no RET rearrangement T1	Sporadic					
A250 15 female T1N0M0 no RET rearrangement A264 37 male T2N1M0 no RET rearrangement A269 58 male T2N0M0 no RET rearrangement A270 72 female T1N0M0 no RET rearrangement A271 80 female T3N1M0 RET/PTC1 M272 40 male T1N0M0 no RET rearrangement A273 47 male T2N0M0 no RET rearrangement A274 66 female T2N1M0 RET/PTC1 A275 83 male T1N0M0 no RET rearrangement A283 44 male T1N0M0 no RET rearrangement A284 78 female T1N0M0 no RET rearrangement A285 71 female T1N0M0 no RET rearrangement A286 60 female T1N0M0 no RET rearrangement A287 78 male T1N0M0 no RET rearrangement A290 55 female T2N1M0 no RET rearrangement A291 83 female T2N1M0 no RET rearrangement A292 70 female T2N1M0 no RET rearrangement A293 64 male T3N1M0 no RET rearrangement A294 55 female T2N1M0 no RET rearrangement A296 60 male T2N1M0 no RET rearrangement A297 62 female T1N0M0 no RET rearrangement A298 70 female T1N0M0 no RET rearrangement A302 72 male T1N0M0 no RET rearrangement A303 68 female T1N0M0 no RET rearrangement A304 55 male T1N0M0 no RET rearrangement A322 44 female T1N0M0 no RET rearrangement A322 44 female T1N0M0 no RET rearrangement A322 44 female T1N0M0 no RET rearrangement A322 45 male T2N1M0 no RET rearrangement A324 55 male T1N0M0 no RET rearrangement A322 47 female T1N0M0 no RET rearrangement A324 55 male T1N0M0 no RET rearrangement A326 66 male T2N1M0 no RET rearrangement A327 7 female T1N0M0 no RET rearrangement A328 26 female T1N0M0 no RET rearrangement A330 67 male T2N1M0 no RET rearrangement A331 28 male T1N0M0 no RET rearrangement A332 66 male T2N1M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A331 28 male T1N0M0 no RET rearrangement A332 66 male T2N1M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A338 80	A203	55	male	T1N0M0	no RET rearrangement	
A264 37 male T2N1M0 no RET rearrangement A269 58 male T2N0M0 no RET rearrangement A270 72 female T1N0M0 no RET rearrangement A271 80 female T3N1M0 RET/PTC1 A272 40 male T1N0M0 no RET rearrangement A273 47 male T2N0M0 no RET rearrangement A273 47 male T2N0M0 no RET rearrangement A274 66 female T2N1M0 RET/PTC1 A275 83 male T1N0M0 no RET rearrangement A283 44 male T1N1M0 no RET rearrangement A284 78 female T1N1M0 no RET rearrangement A285 71 female T1N0M0 no RET rearrangement A286 60 female T1N0M0 no RET rearrangement A287 78 male T1N0M0 no RET rearrangement A290 55 female T2N1M0 no RET rearrangement A291 83 female T1N0M0 no RET rearrangement A292 70 female T2N0M0 no RET rearrangement A293 64 male T3N1M0 no RET rearrangement A294 55 female T1N0M0 no RET rearrangement A294 55 female T1N0M0 no RET rearrangement A296 60 male T2N1M0 no RET rearrangement A297 62 female T1N0M0 no RET rearrangement A303 68 female T1N0M0 no RET rearrangement A302 72 male T1N0M0 no RET rearrangement A329 44 female T1N0M0 no RET rearrangement A329 70 female T1N0M0 no RET rearrangement A329 71 female T1N0M0 no RET rearrangement A329 72 male T1N0M0 no RET rearrangement A320 72 male T1N0M0 no RET rearrangement A322 44 female T1N0M0 no RET rearrangement A322 45 female T1N0M0 no RET rearrangement A322 47 female T1N0M0 no RET rearrangement A324 55 male T2N1M0 no RET rearrangement A329 39 male T1N0M0 no RET rearrangement A320 67 male T2N1M0 no RET rearrangement A330 67 male T2N1M0 no RET rearrangement A331 28 male T1N0M0 no RET rearrangement A332 66 male T2N1M0 no RET rearrangement A333 38 female T2N1M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A338 80 male T2N1M0 no RET rearrangement A338 80 male T2N1M0 no RET rearrangement A338 80 male T2N1M0 n	A207	35		T1N0M0	no RET rearrangement	
A269 58 male T2N0M0 no RET rearrangement A270 72 female T1N0M0 no RET rearrangement A271 80 female T3N1M0 RET/PTC1 A272 40 male T1N0M0 no RET rearrangement A273 47 male T2N0M0 no RET rearrangement A274 66 female T2N1M0 RET/PTC1 A275 83 male T1N0M0 no RET rearrangement A283 44 male T1N1M0 no RET rearrangement A284 78 female T1N1M0 no RET rearrangement A285 71 female T1N1M0 no RET rearrangement A286 60 female T1N0M0 no RET rearrangement A287 78 male T1N0M0 no RET rearrangement A290 55 female T2N1M0 no RET rearrangement A291 83 female T1N0M0 no RET rearrangement A292 70 female T2N1M0 no RET rearrangement A293 64 male T3N1M0 no RET rearrangement A294 55 female T2N0M0 no RET rearrangement A296 60 male T2N1M0 no RET rearrangement A297 62 female T1N0M0 no RET rearrangement A298 70 female T1N0M0 no RET rearrangement A302 72 male T1N0M0 no RET rearrangement A303 68 female T1N1M0 RET/PTC1 A306 32 female T1N1M0 RET/PTC1 A307 55 male T2N1M0 no RET rearrangement A329 39 male T1N1M0 no RET rearrangement A329 39 male T1N1M0 no RET rearrangement A329 39 male T1N0M0 no RET rearrangement A329 39 male T1N0M0 no RET rearrangement A329 39 male T1N1M0 no RET rearrangement A329 39 male T1N1M0 no RET rearrangement A329 39 male T1N1M0 no RET rearrangement A330 67 male T2N1M0 no RET rearrangement A331 28 male T1N0M0 no RET rearrangement A332 66 male T2N1M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A334 22 female T1N0M0 no RET rearrangement A335 72 female T3N1M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A337 32 female T2N1M0 no RET rearrangement A338 80 male T2N1M0 no RET rearrangement A338 80 male T2N1M0 no RET rearrangement	A250	15	female	T1N0M0	no RET rearrangement	
A270 72 female T1N0M0 no RET rearrangement A271 80 female T3N1M0 RET/PTC1 A272 40 male T1N0M0 no RET rearrangement A273 47 male T2N0M0 no RET rearrangement A274 66 female T2N1M0 RET/PTC1 A275 83 male T1N0M0 no RET rearrangement A283 44 male T1N1M0 no RET rearrangement A284 78 female T1N0M0 no RET rearrangement A285 71 female T1N0M0 no RET rearrangement A286 60 female T1N0M0 no RET rearrangement A287 78 male T1N0M0 no RET rearrangement A290 55 female T2N1M0 no RET rearrangement A291 83 female T2N1M0 no RET rearrangement A292 70 female T2N0M0 no RET rearrangement A293 64 male T3N1M0 no RET rearrangement A294 55 female T1N0M0 no RET rearrangement A296 60 male T2N1M0 no RET rearrangement A297 62 female T1N0M0 no RET rearrangement A298 70 female T1N0M0 no RET rearrangement A298 70 female T1N0M0 no RET rearrangement A302 72 male T1N0M0 no RET rearrangement A303 68 female T1N1M0 RET/PTC1 A306 32 female T1N1M0 RET/PTC1 A327 27 female T1N0M0 no RET rearrangement A328 26 female T1N0M0 no RET rearrangement A329 39 male T1N1M0 no RET rearrangement A330 67 male T2N1M0 no RET rearrangement A331 28 male T1N0M0 no RET rearrangement A332 66 male T2N1M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A334 22 female T1N0M0 no RET rearrangement A335 72 female T1N1M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A337 32 female T2N1M0 no RET rearrangement A338 80 male T2N1M0 no RET rearrangement	A264	37	male	T2N1M0	no RET rearrangement	
A271 80 female T3N1M0 RET/PTC1 A272 40 male T1N0M0 no RET rearrangement A273 47 male T2N0M0 no RET rearrangement A274 66 female T2N1M0 RET/PTC1 A275 83 male T1N0M0 no RET rearrangement A283 44 male T1N1M0 no RET rearrangement A284 78 female T1N0M0 no RET rearrangement A285 71 female T1N0M0 no RET rearrangement A286 60 female T1N0M0 no RET rearrangement A287 78 male T1N0M0 no RET rearrangement A290 55 female T2N1M0 no RET rearrangement A291 83 female T2N1M0 no RET rearrangement A292 70 female T2N0M0 no RET rearrangement A293 64 male T3N1M0 no RET rearrangement A294 55 female T1N0M0 no RET rearrangement A296 60 male T2N1M0 no RET rearrangement A297 62 female T1N0M0 no RET rearrangement A298 70 female T1N0M0 no RET rearrangement A298 70 female T1N0M0 no RET rearrangement A302 72 male T1N0M0 no RET rearrangement A303 68 female T1N1M0 RET/PTC1 A306 32 female T1N1M0 RET/PTC1 A327 27 female T1N0M0 no RET rearrangement A328 26 female T1N0M0 no RET rearrangement A329 39 male T1N1M0 no RET rearrangement A330 67 male T2N1M0 no RET rearrangement A331 28 male T1N0M0 no RET rearrangement A332 66 male T2N1M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A334 22 female T1N0M0 no RET rearrangement A335 72 female T1N0M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A337 32 female T2N1M0 no RET rearrangement A338 80 male T2N1M0 no RET rearrangement A338 80 male T2N1M0 no RET rearrangement	A269	58	male	T2N0M0	no RET rearrangement	
A272 40 male T1N0M0 no RET rearrangement A273 47 male T2N0M0 no RET rearrangement A274 66 female T2N1M0 RET/PTC1 A275 83 male T1N0M0 no RET rearrangement A283 44 male T1N1M0 no RET rearrangement A284 78 female T1N0M0 no RET rearrangement A285 71 female T1N0M0 no RET rearrangement A286 60 female T1N0M0 no RET rearrangement A287 78 male T1N0M0 no RET rearrangement A290 55 female T2N1M0 no RET rearrangement A291 83 female T1N0M0 no RET rearrangement A292 70 female T2N0M0 no RET rearrangement A293 64 male T3N1M0 no RET rearrangement A294 55 female T2N1M0 no RET rearrangement A296 60 male T2N1M0 no RET rearrangement A297 62 female T1N0M0 no RET rearrangement A298 70 female T1N0M0 no RET rearrangement A302 72 male T1N0M0 no RET rearrangement A303 68 female T1N1M0 no RET rearrangement A304 55 male T1N1M0 RET/PTC1 A306 32 female T1N0M0 no RET rearrangement A307 70 female T1N1M0 no RET rearrangement A308 68 female T1N1M0 no RET rearrangement A309 70 female T1N0M0 no RET rearrangement A301 68 female T1N1M0 no RET rearrangement A302 72 male T1N0M0 no RET rearrangement A303 68 female T1N1M0 no RET rearrangement A304 55 male T2N1M0 no RET rearrangement A329 30 male T1N1M0 no RET rearrangement A329 30 male T1N0M0 no RET rearrangement A329 30 male T1N0M0 no RET rearrangement A330 67 male T2N1M0 no RET rearrangement A331 28 male T1N0M0 no RET rearrangement A332 66 male T2N0M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A334 22 female T1N0M0 no RET rearrangement A335 72 female T2N0M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A337 32 female T1N1M0 no RET rearrangement A338 80 male T2N1M0 RET/PTC1	A270	72	female	T1N0M0	no RET rearrangement	
A273 47 male T2N0M0 no RET rearrangement A274 66 female T2N1M0 RET/PTC1 A275 83 male T1N0M0 no RET rearrangement A283 44 male T1N1M0 no RET rearrangement A284 78 female T1N0M0 no RET rearrangement A285 71 female T1N0M0 no RET rearrangement A286 60 female T1N0M0 no RET rearrangement A287 78 male T1N0M0 no RET rearrangement A290 55 female T2N1M0 no RET rearrangement A291 83 female T2N1M0 no RET rearrangement A292 70 female T2N0M0 no RET rearrangement A293 64 male T3N1M0 no RET rearrangement A294 55 female T2N1M0 no RET rearrangement A296 60 male T2N1M0 no RET rearrangement A297 62 female T1N0M0 no RET rearrangement A298 70 female T1N0M0 no RET rearrangement A302 72 male T1N0M0 no RET rearrangement A303 68 female T1N1M0 no RET rearrangement A304 55 male T1N1M0 RET/PTC1 A306 32 female T1N1M0 RET/PTC1 A307 70 female T1N0M0 no RET rearrangement A308 68 female T1N1M0 no RET rearrangement A309 70 female T1N0M0 no RET rearrangement A301 68 female T1N1M0 no RET rearrangement A302 72 male T1N0M0 no RET rearrangement A303 68 female T1N1M0 no RET rearrangement A304 55 male T2N1M0 no RET rearrangement A329 39 male T1N0M0 no RET rearrangement A320 41 female T1N0M0 no RET rearrangement A321 28 male T1N0M0 no RET rearrangement A322 44 female T1N0M0 no RET rearrangement A333 67 male T2N1M0 no RET rearrangement A334 26 female T1N0M0 no RET rearrangement A335 72 female T2N0M0 no RET rearrangement A336 55 male T2N0M0 no RET rearrangement A337 32 female T3N1M0 no RET rearrangement A338 80 male T3N1M0 no RET rearrangement A338 80 male T3N1M0 no RET rearrangement A337 32 female T3N1M0 no RET rearrangement A338 80 male T3N1M0 no RET rearrangement A338 80 male T3N1M0 no RET rearrangement	A271	80	female	T3N1M0	RET/PTC1	
A274 66 female T2N1M0 RET/PTC1 A275 83 male T1N0M0 no RET rearrangement A283 44 male T1N1M0 no RET rearrangement A284 78 female T1N0M0 no RET rearrangement A285 71 female T1N1M0 no RET rearrangement A286 60 female T1N0M0 no RET rearrangement A287 78 male T1N0M0 no RET rearrangement A290 55 female T2N1M0 no RET rearrangement A291 83 female T1N0M0 no RET rearrangement A292 70 female T2N0M0 no RET rearrangement A293 64 male T3N1M0 no RET rearrangement A294 55 female T1N0M0 no RET rearrangement A296 60 male T2N1M0 no RET rearrangement A297 62 female T1N0M0 no RET rearrangement A298 70 female T1N0M0 no RET rearrangement A302 72 male T1N0M0 no RET rearrangement A303 68 female T1N1M0 no RET rearrangement A304 55 male T1N1M0 RET/PTC1 A306 32 female T1N1M0 RET/PTC1 A307 A308 Female T1N0M0 no RET rearrangement A329 39 male T1N0M0 no RET rearrangement A329 39 male T1N0M0 no RET rearrangement A329 39 male T1N0M0 no RET rearrangement A330 67 male T2N1M0 no RET rearrangement A331 28 male T1N0M0 no RET rearrangement A332 66 male T2N1M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A334 22 female T1N0M0 no RET rearrangement A335 72 female T1N1M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A337 32 female T2N1M0 no RET rearrangement A338 80 male T2N1M0 no RET rearrangement	A272	40	male	T1N0M0	no RET rearrangement	
A274 66 female T2N1M0 RET/PTC1 A275 83 male T1N0M0 no RET rearrangement A283 44 male T1N1M0 no RET rearrangement A284 78 female T1N0M0 no RET rearrangement A285 71 female T1N1M0 no RET rearrangement A286 60 female T1N0M0 no RET rearrangement A287 78 male T1N0M0 no RET rearrangement A290 55 female T2N1M0 no RET rearrangement A291 83 female T1N0M0 no RET rearrangement A292 70 female T2N0M0 no RET rearrangement A293 64 male T3N1M0 no RET rearrangement A294 55 female T1N0M0 no RET rearrangement A296 60 male T2N1M0 no RET rearrangement A297 62 female T1N0M0 no RET rearrangement A298 70 female T1N0M0 no RET rearrangement A302 72 male T1N0M0 no RET rearrangement A303 68 female T1N1M0 no RET rearrangement A304 55 male T1N1M0 RET/PTC1 A306 32 female T1N1M0 RET/PTC1 A307 A308 Female T1N0M0 no RET rearrangement A329 39 male T1N0M0 no RET rearrangement A329 39 male T1N0M0 no RET rearrangement A329 39 male T1N0M0 no RET rearrangement A330 67 male T2N1M0 no RET rearrangement A331 28 male T1N0M0 no RET rearrangement A332 66 male T2N1M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A334 22 female T1N0M0 no RET rearrangement A335 72 female T1N1M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A337 32 female T2N1M0 no RET rearrangement A338 80 male T2N1M0 no RET rearrangement	A273	47	male	T2N0M0	no RET rearrangement	
A283 44 male T1N1M0 no RET rearrangement A284 78 female T1N0M0 no RET rearrangement A285 71 female T1N1M0 no RET rearrangement A286 60 female T1N0M0 no RET rearrangement A287 78 male T1N0M0 no RET rearrangement A289 55 female T2N1M0 no RET rearrangement A290 55 female T2N1M0 no RET rearrangement A291 83 female T1N0M0 no RET rearrangement A292 70 female T2N0M0 no RET rearrangement A293 64 male T3N1M0 no RET rearrangement A294 55 female T1N0M0 no RET rearrangement A296 60 male T2N1M0 no RET rearrangement A297 62 female T1N0M0 no RET rearrangement A308 70 female T1N0M0 no RET rearrangement A309 72 male T1N0M0 no RET rearrangement A300 32 female T1N1M0 RET/PTC1 A301 68 female T1N1M0 no RET rearrangement A322 44 female T1N0M0 no RET rearrangement A324 55 male T2N1M0 no RET rearrangement A325 27 female T1N0M0 no RET rearrangement A326 32 female T1N1M0 no RET rearrangement A327 27 female T1N0M0 no RET rearrangement A328 26 female T1N0M0 no RET rearrangement A329 39 male T1N1M0 RET/PTC1 A330 67 male T2N1M0 no RET rearrangement A331 28 male T1N1M0 no RET rearrangement A332 66 male T2N1M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A334 22 female T1N0M0 no RET rearrangement A335 72 female T1N1M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A337 32 female T2N1M0 no RET rearrangement A338 80 male T2N1M0 no RET rearrangement A337 32 female T3N1M0 no RET rearrangement A338 80 male T2N1M0 no RET rearrangement A338 80 male T2N1M0 no RET rearrangement	A274	66	female	T2N1M0		
A284 78 female T1N0M0 no RET rearrangement A285 71 female T1N1M0 no RET rearrangement A286 60 female T1N0M0 no RET rearrangement A287 78 male T1N0M0 no RET rearrangement A287 78 male T1N0M0 no RET rearrangement A290 55 female T2N1M0 no RET rearrangement A291 83 female T1N0M0 no RET rearrangement A292 70 female T2N0M0 no RET rearrangement A293 64 male T3N1M0 no RET rearrangement A294 55 female T1N0M0 no RET rearrangement A296 60 male T2N1M0 no RET rearrangement A297 62 female T1N0M0 no RET rearrangement A298 70 female T1N0M0 no RET rearrangement A302 72 male T1N0M0 no RET rearrangement A303 68 female T1N1M0 RET/PTC1 A306 32 female T1N1M0 no RET rearrangement A322 44 female T1N0M0 no RET rearrangement A324 55 male T2N1M0 RET/PTC1 A327 27 female T1N0M0 no RET rearrangement A328 26 female T1N0M0 no RET rearrangement A329 39 male T1N1M0 RET/PTC1 A330 67 male T2N1M0 RET/PTC1 A331 28 male T1N1M0 no RET rearrangement A332 66 male T2N1M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A334 22 female T1N0M0 no RET rearrangement A335 72 female T1N1M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A337 32 female T2N1M0 no RET rearrangement A338 80 male T2N1M0 no RET rearrangement A338 80 male T2N1M0 no RET rearrangement A337 32 female T3N1M0 no RET rearrangement A338 80 male T2N1M0 no RET rearrangement	A275	83	male	T1N0M0	no RET rearrangement	
A285 71 female T1N1M0 no RET rearrangement A286 60 female T1N0M0 no RET rearrangement A287 78 male T1N0M0 no RET rearrangement A290 55 female T2N1M0 no RET rearrangement A291 83 female T1N0M0 no RET rearrangement A292 70 female T2N0M0 no RET rearrangement A293 64 male T3N1M0 no RET rearrangement A294 55 female T1N0M0 no RET rearrangement A296 60 male T2N1M0 no RET rearrangement A297 62 female T1N0M0 no RET rearrangement A298 70 female T1N0M0 no RET rearrangement A302 72 male T1N0M0 no RET rearrangement A303 68 female T1N1M0 RET/PTC1 A306 32 female T1N1M0 RET/PTC1 A327 44 female T1N0M0 no RET rearrangement A324 55 male T2N1M0 no RET rearrangement A325 27 female T1N0M0 no RET rearrangement A326 66 male T2N1M0 no RET rearrangement A327 27 female T1N0M0 no RET rearrangement A328 26 female T1N0M0 no RET rearrangement A329 39 male T1N1M0 no RET rearrangement A330 67 male T2N1M0 no RET rearrangement A331 28 male T1N0M0 no RET rearrangement A332 66 male T2N1M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A334 22 female T1N0M0 no RET rearrangement A335 72 female T3N1M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A337 32 female T2N1M0 no RET rearrangement A338 80 male T2N1M0 RET/PTC1	A283	44	male	T1N1M0	no RET rearrangement	
A286 60 female T1N0M0 no RET rearrangement A287 78 male T1N0M0 no RET rearrangement A290 55 female T2N1M0 no RET rearrangement A291 83 female T1N0M0 no RET rearrangement A292 70 female T2N0M0 no RET rearrangement A293 64 male T3N1M0 no RET rearrangement A294 55 female T1N0M0 no RET rearrangement A296 60 male T2N1M0 no RET rearrangement A297 62 female T1N0M0 no RET rearrangement A298 70 female T1N0M0 no RET rearrangement A302 72 male T1N0M0 no RET rearrangement A303 68 female T1N1M0 RET/PTC1 A306 32 female T1N1M0 RET/PTC1 A327 27 female T1N0M0 no RET rearrangement A324 55 male T2N1M0 RET/PTC1 A327 27 female T1N0M0 no RET rearrangement A328 26 female T1N0M0 no RET rearrangement A329 39 male T1N1M0 no RET rearrangement A320 67 male T2N1M0 no RET rearrangement A331 28 male T1N1M0 no RET rearrangement A332 66 male T2N1M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A334 22 female T1N0M0 no RET rearrangement A335 72 female T1N1M0 no RET rearrangement A336 55 male T2N1M0 no RET rearrangement A337 32 female T3N1M0 no RET rearrangement A338 80 male T2N1M0 no RET rearrangement A338 80 male T2N1M0 no RET rearrangement A337 32 female T3N1M0 no RET rearrangement A338 80 male T2N1M0 no RET rearrangement A338 80 male T2N1M0 no RET rearrangement	A284	78	female	T1N0M0	no RET rearrangement	
A287 78 male T1N0M0 no RET rearrangement A290 55 female T2N1M0 no RET rearrangement A291 83 female T1N0M0 no RET rearrangement A292 70 female T2N0M0 no RET rearrangement A293 64 male T3N1M0 no RET rearrangement A294 55 female T1N0M0 no RET rearrangement A296 60 male T2N1M0 no RET rearrangement A297 62 female T1N0M0 no RET rearrangement A298 70 female T1N0M0 no RET rearrangement A302 72 male T1N0M0 no RET rearrangement A303 68 female T1N1M0 RET/PTC1 A306 32 female T1N1M0 RET/PTC1 A322 44 female T1N0M0 no RET rearrangement A324 55 male T2N1M0 RET/PTC1 A327 27 female T1N0M0 no RET rearrangement A328 26 female T1N0M0 no RET rearrangement A329 39 male T1N1M0 no RET rearrangement A330 67 male T2N1M0 no RET rearrangement A331 28 male T1N1M0 no RET rearrangement A332 66 male T2N1M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A334 22 female T1N0M0 no RET rearrangement A335 72 female T3N1M0 no RET rearrangement A336 55 male T3N1M0 no RET rearrangement A337 32 female T3N1M0 no RET rearrangement A338 80 male T2N1M0 no RET rearrangement A338 80 male T2N1M0 no RET rearrangement A337 32 female T3N1M0 no RET rearrangement A338 80 male T2N1M0 RET/PTC1	A285	71	female	T1N1M0	no RET rearrangement	
A287 78 male T1N0M0 no RET rearrangement A290 55 female T2N1M0 no RET rearrangement A291 83 female T1N0M0 no RET rearrangement A292 70 female T2N0M0 no RET rearrangement A293 64 male T3N1M0 no RET rearrangement A294 55 female T1N0M0 no RET rearrangement A296 60 male T2N1M0 no RET rearrangement A297 62 female T1N0M0 no RET rearrangement A298 70 female T1N0M0 no RET rearrangement A302 72 male T1N0M0 no RET rearrangement A303 68 female T1N1M0 RET/PTC1 A306 32 female T1N1M0 RET/PTC1 A322 44 female T1N0M0 no RET rearrangement A324 55 male T2N1M0 RET/PTC1 A327 27 female T1N0M0 no RET rearrangement A328 26 female T1N0M0 no RET rearrangement A329 39 male T1N1M0 no RET rearrangement A330 67 male T2N1M0 no RET rearrangement A331 28 male T1N1M0 no RET rearrangement A332 66 male T2N1M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A334 22 female T1N0M0 no RET rearrangement A335 72 female T3N1M0 no RET rearrangement A336 55 male T3N1M0 no RET rearrangement A337 32 female T3N1M0 no RET rearrangement A338 80 male T2N1M0 no RET rearrangement A338 80 male T2N1M0 no RET rearrangement A337 32 female T3N1M0 no RET rearrangement A338 80 male T2N1M0 RET/PTC1	A286	60	female	T1N0M0	no RET rearrangement	
A291 83 female T1N0M0 no RET rearrangement A292 70 female T2N0M0 no RET rearrangement A293 64 male T3N1M0 no RET rearrangement A294 55 female T1N0M0 no RET rearrangement A296 60 male T2N1M0 no RET rearrangement A297 62 female T1N0M0 no RET rearrangement A298 70 female T1N0M0 no RET rearrangement A302 72 male T1N0M0 no RET rearrangement A303 68 female T1N1M0 RET/PTC1 A306 32 female T1N1M0 no RET rearrangement A322 44 female T1N0M0 no RET rearrangement A324 55 male T2N1M0 RET/PTC1 A327 27 female T1N0M0 no RET rearrangement A328 26 female T1N0M0 no RET rearrangement A329 39 male T1N1M0 no RET rearrangement A330 67 male T2N1M0 no RET rearrangement A331 28 male T1N0M0 no RET rearrangement A332 66 male T2N1M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A334 22 female T1N0M0 no RET rearrangement A335 72 female T1N1M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A337 32 female T2N0M0 no RET rearrangement A338 80 male T2N1M0 RET/PTC1	A287	78	male	T1N0M0		
A292 70 female T2N0M0 no RET rearrangement A293 64 male T3N1M0 no RET rearrangement A294 55 female T1N0M0 no RET rearrangement A296 60 male T2N1M0 no RET rearrangement A297 62 female T1N0M0 no RET rearrangement A298 70 female T1N0M0 no RET rearrangement A302 72 male T1N0M0 no RET rearrangement A303 68 female T1N1M0 RET/PTC1 A306 32 female T1N1M0 no RET rearrangement A322 44 female T1N0M0 no RET rearrangement A324 55 male T2N1M0 RET/PTC1 A327 27 female T1N0M0 no RET rearrangement A328 26 female T1N0M0 no RET rearrangement A329 39 male T1N1M0 no RET rearrangement A330 67 male T2N1M0 no RET rearrangement A331 28 male T1N0M0 no RET rearrangement A332 66 male T2N1M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A334 22 female T1N0M0 no RET rearrangement A335 72 female T3N1M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A337 32 female T2N0M0 no RET rearrangement A338 80 male T2N1M0 no RET rearrangement A338 80 male T2N1M0 no RET rearrangement A337 32 female T3N1M0 no RET rearrangement A338 80 male T2N1M0 RET/PTC1	A290	55	female	T2N1M0	no RET rearrangement	
A293 64 male T3N1M0 no RET rearrangement A294 55 female T1N0M0 no RET rearrangement A296 60 male T2N1M0 no RET rearrangement A297 62 female T1N0M0 no RET rearrangement A298 70 female T1N0M0 no RET rearrangement A302 72 male T1N0M0 no RET rearrangement A303 68 female T1N1M0 RET/PTC1 A306 32 female T1N1M0 no RET rearrangement A322 44 female T1N0M0 no RET rearrangement A324 55 male T2N1M0 RET/PTC1 A327 27 female T1N0M0 no RET rearrangement A328 26 female T1N0M0 no RET rearrangement A329 39 male T1N1M0 no RET rearrangement A330 67 male T2N1M0 no RET rearrangement A331 28 male T1N0M0 no RET rearrangement A332 66 male T2N1M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A334 22 female T1N0M0 no RET rearrangement A335 72 female T1N1M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A337 32 female T2N0M0 no RET rearrangement A338 80 male T2N1M0 RET/PTC1	A291	83	female	T1N0M0		
A293 64 male T3N1M0 no RET rearrangement A294 55 female T1N0M0 no RET rearrangement A296 60 male T2N1M0 no RET rearrangement A297 62 female T1N0M0 no RET rearrangement A298 70 female T1N0M0 no RET rearrangement A302 72 male T1N0M0 no RET rearrangement A303 68 female T1N1M0 RET/PTC1 A306 32 female T1N1M0 no RET rearrangement A322 44 female T1N0M0 no RET rearrangement A324 55 male T2N1M0 RET/PTC1 A327 27 female T1N0M0 no RET rearrangement A328 26 female T1N0M0 no RET rearrangement A329 39 male T1N1M0 no RET rearrangement A330 67 male T2N1M0 no RET rearrangement A331 28 male T1N0M0 no RET rearrangement A332 66 male T2N1M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A334 22 female T1N0M0 no RET rearrangement A335 72 female T1N1M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A337 32 female T2N0M0 no RET rearrangement A338 80 male T2N1M0 RET/PTC1	A292	70	female	T2N0M0	no RET rearrangement	
A294 55 female T1N0M0 no RET rearrangement A296 60 male T2N1M0 no RET rearrangement A297 62 female T1N0M0 no RET rearrangement A298 70 female T1N0M0 no RET rearrangement A302 72 male T1N0M0 no RET rearrangement A303 68 female T1N1M0 RET/PTC1 A306 32 female T1N1M0 no RET rearrangement A322 44 female T1N0M0 no RET rearrangement A324 55 male T2N1M0 RET/PTC1 A327 27 female T1N0M0 no RET rearrangement A328 26 female T1N0M0 no RET rearrangement A329 39 male T1N1M0 no RET rearrangement A330 67 male T2N1M0 no RET rearrangement A331 28 male T1N0M0 no RET rearrangement A332 66 male T2N0M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A334 22 female T1N0M0 no RET rearrangement A335 72 female T1N1M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A337 32 female T2N0M0 no RET rearrangement A338 80 male T2N1M0 RET/PTC1	A293	64	male		_	
A296 60 male T2N1M0 no RET rearrangement A297 62 female T1N0M0 no RET rearrangement A298 70 female T1N0M0 no RET rearrangement A302 72 male T1N0M0 no RET rearrangement A303 68 female T1N1M0 RET/PTC1 A306 32 female T1N1M0 no RET rearrangement A322 44 female T1N0M0 no RET rearrangement A324 55 male T2N1M0 RET/PTC1 A327 27 female T1N0M0 no RET rearrangement A328 26 female T1N0M0 no RET rearrangement A329 39 male T1N1M0 no RET rearrangement A330 67 male T2N1M0 no RET rearrangement A331 28 male T1N0M0 no RET rearrangement A332 66 male T2N0M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A334 22 female T1N0M0 no RET rearrangement A335 72 female T3N1M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A337 32 female T2N0M0 no RET rearrangement A338 80 male T2N1M0 RET/PTC1		55	female	T1N0M0		
A297 62 female T1N0M0 no RET rearrangement A298 70 female T1N0M0 no RET rearrangement A302 72 male T1N0M0 no RET rearrangement A303 68 female T1N1M0 RET/PTC1 A306 32 female T1N1M0 no RET rearrangement A322 44 female T1N0M0 no RET rearrangement A324 55 male T2N1M0 RET/PTC1 A327 27 female T1N0M0 no RET rearrangement A328 26 female T1N0M0 no RET rearrangement A329 39 male T1N1M0 no RET rearrangement A330 67 male T2N1M0 no RET rearrangement A331 28 male T1N0M0 no RET rearrangement A332 66 male T2N0M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A334 22 female T1N0M0 no RET rearrangement A335 72 female T3N1M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A337 32 female T2N0M0 no RET rearrangement A338 80 male T2N1M0 RET/PTC1	A296	60	male	T2N1M0		
A298 70 female T1N0M0 no RET rearrangement A302 72 male T1N0M0 no RET rearrangement A303 68 female T1N1M0 RET/PTC1 A306 32 female T1N1M0 no RET rearrangement A322 44 female T1N0M0 no RET rearrangement A324 55 male T2N1M0 RET/PTC1 A327 27 female T1N0M0 no RET rearrangement A328 26 female T1N0M0 no RET rearrangement A329 39 male T1N1M0 no RET rearrangement A330 67 male T2N1M0 no RET rearrangement A331 28 male T1N0M0 no RET rearrangement A332 66 male T2N0M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A334 22 female T1N0M0 no RET rearrangement A335 72 female T3N1M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A337 32 female T2N0M0 no RET rearrangement A338 80 male T2N1M0 RET/PTC1	A297	62	female	T1N0M0	_	
A302 72 male T1N0M0 no RET rearrangement A303 68 female T1N1M0 RET/PTC1 A306 32 female T1N1M0 no RET rearrangement A322 44 female T1N0M0 no RET rearrangement A324 55 male T2N1M0 RET/PTC1 A327 27 female T1N0M0 no RET rearrangement A328 26 female T1N0M0 no RET rearrangement A329 39 male T1N1M0 no RET rearrangement A330 67 male T2N1M0 no RET rearrangement A331 28 male T1N0M0 no RET rearrangement A332 66 male T2N0M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A334 22 female T1N0M0 no RET rearrangement A335 72 female T3N1M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A337 32 female T2N0M0 no RET rearrangement A338 80 male T2N1M0 RET/PTC1		70	female			
A303 68 female T1N1M0 RET/PTC1 A306 32 female T1N1M0 no RET rearrangement A322 44 female T1N0M0 no RET rearrangement A324 55 male T2N1M0 RET/PTC1 A327 27 female T1N0M0 no RET rearrangement A328 26 female T1N0M0 no RET rearrangement A329 39 male T1N1M0 no RET rearrangement A330 67 male T2N1M0 no RET rearrangement A331 28 male T1N0M0 no RET rearrangement A332 66 male T2N0M0 no RET rearrangement A333 38 female T1N1M0 no RET rearrangement A334 22 female T3N1M0 no RET rearrangement A335 72 female T3N1M0 no RET rearrangement A337 32 female T2N0M0 no RET rearrangement <td< td=""><td></td><td></td><td>male</td><td></td><td>2</td></td<>			male		2	
A322 44 female T1N0M0 no RET rearrangement A324 55 male T2N1M0 RET/PTC1 A327 27 female T1N0M0 no RET rearrangement A328 26 female T1N0M0 no RET rearrangement A329 39 male T1N1M0 no RET rearrangement A330 67 male T2N1M0 no RET rearrangement A331 28 male T1N0M0 no RET rearrangement A332 66 male T2N0M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A334 22 female T1N1M0 no RET rearrangement A335 72 female T3N1M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A337 32 female T2N0M0 no RET rearrangement A338 80 male T2N1M0 RET/PTC1		68	female			
A322 44 female T1N0M0 no RET rearrangement A324 55 male T2N1M0 RET/PTC1 A327 27 female T1N0M0 no RET rearrangement A328 26 female T1N0M0 no RET rearrangement A329 39 male T1N1M0 no RET rearrangement A330 67 male T2N1M0 no RET rearrangement A331 28 male T1N0M0 no RET rearrangement A332 66 male T2N0M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A334 22 female T1N1M0 no RET rearrangement A335 72 female T3N1M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A337 32 female T2N0M0 no RET rearrangement A338 80 male T2N1M0 RET/PTC1		32	female	T1N1M0	no RET rearrangement	
A324 55 male T2N1M0 RET/PTC1 A327 27 female T1N0M0 no RET rearrangement A328 26 female T1N0M0 no RET rearrangement A329 39 male T1N1M0 no RET rearrangement A330 67 male T2N1M0 no RET rearrangement A331 28 male T1N0M0 no RET rearrangement A332 66 male T2N0M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A334 22 female T1N1M0 no RET rearrangement A335 72 female T3N1M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A337 32 female T2N0M0 no RET rearrangement A338 80 male T2N1M0 RET/PTC1	A322					
A327 27 female T1N0M0 no RET rearrangement A328 26 female T1N0M0 no RET rearrangement A329 39 male T1N1M0 no RET rearrangement A330 67 male T2N1M0 no RET rearrangement A331 28 male T1N0M0 no RET rearrangement A332 66 male T2N0M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A334 22 female T1N1M0 no RET rearrangement A335 72 female T3N1M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A337 32 female T2N0M0 no RET rearrangement A338 80 male T2N1M0 RET/PTC1						
A328 26 female T1N0M0 no RET rearrangement A329 39 male T1N1M0 no RET rearrangement A330 67 male T2N1M0 no RET rearrangement A331 28 male T1N0M0 no RET rearrangement A332 66 male T2N0M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A334 22 female T1N1M0 no RET rearrangement A335 72 female T3N1M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A337 32 female T2N0M0 no RET rearrangement A338 80 male T2N1M0 RET/PTC1						
A329 39 male T1N1M0 no RET rearrangement A330 67 male T2N1M0 no RET rearrangement A331 28 male T1N0M0 no RET rearrangement A332 66 male T2N0M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A334 22 female T1N1M0 no RET rearrangement A335 72 female T3N1M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A337 32 female T2N0M0 no RET rearrangement A338 80 male T2N1M0 RET/PTC1						
A330 67 male T2N1M0 no RET rearrangement A331 28 male T1N0M0 no RET rearrangement A332 66 male T2N0M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A334 22 female T1N1M0 no RET rearrangement A335 72 female T3N1M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A337 32 female T2N0M0 no RET rearrangement A338 80 male T2N1M0 RET/PTC1						
A331 28 male T1N0M0 no RET rearrangement A332 66 male T2N0M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A334 22 female T1N1M0 no RET rearrangement A335 72 female T3N1M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A337 32 female T2N0M0 no RET rearrangement A338 80 male T2N1M0 RET/PTC1						
A332 66 male T2N0M0 no RET rearrangement A333 38 female T1N0M0 no RET rearrangement A334 22 female T1N1M0 no RET rearrangement A335 72 female T3N1M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A337 32 female T2N0M0 no RET rearrangement A338 80 male T2N1M0 RET/PTC1						
A333 38 female T1N0M0 no RET rearrangement A334 22 female T1N1M0 no RET rearrangement A335 72 female T3N1M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A337 32 female T2N0M0 no RET rearrangement A338 80 male T2N1M0 RET/PTC1						
A334 22 female T1N1M0 no RET rearrangement A335 72 female T3N1M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A337 32 female T2N0M0 no RET rearrangement A338 80 male T2N1M0 RET/PTC1					2	
A335 72 female T3N1M0 no RET rearrangement A336 55 male T1N1M0 no RET rearrangement A337 32 female T2N0M0 no RET rearrangement A338 80 male T2N1M0 RET/PTC1						
A336 55 male T1N1M0 no RET rearrangement A337 32 female T2N0M0 no RET rearrangement A338 80 male T2N1M0 RET/PTC1						
A337 32 female T2N0M0 no RET rearrangement A338 80 male T2N1M0 RET/PTC1						
A338 80 male T2N1M0 RET/PTC1					no RET rearrangement	
				1 ZIN LIVIU		

Note. Histology of both groups represents a papillary thyroid cancer and no subtypes, e.g. follicular PTC.

tometry, agarose gel electrophoresis and PCR (using β -actin primers to detect DNA contamination) were performed. Only total RNA with a ratio $A_{260}/A_{280} > 2.0$ (spectrophotometry) with 28S ribosomal bands that were present at approximately twice the amounts of the 18S RNA (agarose gel electrophoresis) and without detectable contamination of DNA (PCR) were used for gene expression arrays and RTQ-PCR.

Whole Genome Microarray Analysis (Human Genome Survey Microarray V2.0)

RNA from 10 individuals (3-4 µg RNA per tumor sample) from each group was pooled separately. This resulted in 37-40 µg RNA templates per microarray. After further RNA quality control (see above), templates were converted into cDNA using a chemiluminescence RT labeling kit. Briefly, mRNA was reverse transcribed using oligo (dT) primers and labeled with DIG-dUTP. After RNA degradation, the DIG-labeled cDNA was purified and hybridized on the Human Genome Survey Microarray V2.0. The following day, microarrays were washed and the chemiluminescence reaction was performed using the chemiluminescence kit. Chemiluminescence was detected with the AB1700 microarray reader. Biochemical reactions and data analysis were performed under the observation of experienced personnel from the Gene Expression Center in Martinsried, Germany. All materials and instruments used for microarray analyses were purchased from Applied Biosystems. Quantile normalized gene expression of 32,878 probes of the microarray for the interrogation of 29,098 genes measured in both groups were log2-transformed and plotted as a scatter plot after deletion of signals with a signal/noise ratio < 2.5 (fold change of the probe's signal relative to the SD of measurements within the spot). With a signal/noise ratio ≥2.5 there is a 99.4% probability that the measurements performed are correct.

For diagnostic purposes it was assumed that genes showing a large difference in expression between the groups would be most promising. For this reason, genes with either >five- or <0.2-fold changes in expression were examined more carefully. These genes were categorized according to the biological processes and molecular functions they code for using the PANTHER database (Applied Biosystems). Differentially expressed genes detected with the microarray were collected into groups that are representative for certain functions (e.g. oxidoreductases). The significance was estimated with a mathematical tool (available at www. pantherdb.org/tools) that compared the observed number of differentially expressed genes in a certain gene category with the expected number of genes. The expected number of genes represents a fraction of the number of genes on the whole genome array that are coding for this function. This fraction corresponds to the total number of differentially expressed genes observed. Then an over-representation or under-representation in the number of differentially expressed genes of a certain category can calculated along with the associated P value.

RTQ-PCR with Low-Density Array (LDA)

The LDA allows quantification of a set of customer-specified transcripts. Aliquots of total RNA (5 μg) of each individual were reverse transcribed over 2 h using a two-step PCR protocol (High Capacity Kit). A volume of 50 μl of the resulting cDNA typically contained a 1- μg RNA equivalent. To this volume an aliquot of 50 μl 2× RT-PCR master mix was added, mixed and pipetted into a fill port of a low-density array and transferred into the 7900 RTQ-PCR instrument equipped with a specially designed thermal cycler to run the RTQ-PCR protocol with the 384-well low-density array format over 2 h.

Statistics

Gene expression microarray analyses with pooled RNA probes were performed once for screening purposes and validated using RTQ-PCR (LDA). For this purpose, 92 genes that appeared to be >fivefold upregulated or down-regulated were selected and quantified in each tumor sample. Four gene selection algorithms were used to select the top dis-

criminative genes from the LDA data: (1) the χ^2 statistic, which determines the worth of a gene by computing the value of the χ^2 statistic with respect to the class; (2) information gain, which determines the worth of a gene by measuring the information gain with respect to the class; information gain is biased in favor of genes with higher dispersion; (3) symmetrical uncertainty, which measures the worth of a gene by measuring the symmetrical uncertainty with respect to the class and compensates for information gain bias; and (4) reliefF, which is a gene-weighting algorithm that is sensitive to gene interactions. The key idea of reliefF is to rate genes according to how well their values distinguish among instances of different classes that are near each other [for details, see ref. (19)]. The mean values, geometric mean and SEM were calculated using Sigma Plot 2000 (Jandel, Erkrath, Germany).

RESULTS

Whole Genome Microarray and Validation with LDA

The Pearson coefficient of correlation in the array data was 0.921 (Fig. 1). The percentages of expressed probes/genes (present calls) were 48.8% in the Chernobyl group and 41.4% in the controls. The number of differentially expressed probes (ratio of normalized gene expression measured in irradiated and control genes) with a ratio >2 (upregulated) or <0.5 (down-regulated) was 3,693 and 2,566, respectively. The number of differentially expressed genes >five- or <0.2-over control was 646 and 677, respectively.

Geometric means of differential gene expression measured with the microarray (semiquantitative method) were compared with the geometric means of the same gene measured with the LDA (quantitative method). About 82% of the genes (72/88) were detected as up-regulated or downregulated genes with both methods. However, the percentage of false positive genes (differentially expressed on the microarray while showing control values according to the LDA) was 13% (11/88). The percentage of false negative genes (control values on the microarray while being differentially expressed according to the LDA) was 3% (3/88). Contradictory measurements (same gene appears to be upregulated with one method and down-regulated with the other method) were found in 2% of the genes examined (2/88).

The number of genes coding for signal transduction (P = 2×10^{-5}) and its subcategory intracellular signaling cascade $(P = 9 \times 10^{-5})$ appeared to be over-represented in post-Chernobyl PTC (Fig. 2). Within the biological process of signal transduction, about 20% of the genes coded for G-proteins and 10% for growth factors like VEGF-A or PDGF-B or those in the EGF signaling pathway. The number of genes coding for other biological processes like fatty acid desaturation ($P = 2 \times 10^{-4}$) and steroid metabolism $(P = 6 \times 10^{-4})$ also appeared to be over-represented. All genes in these categories coded for oxidoreductases such as cytochrome b5 reductase 1 (CYB5R1) and glutathione peroxidase 2 (GPX2). The accompanying molecular functions were significantly over-represented in the categories of signaling molecule ($P = 1 \times 10^{-5}$), growth factor (P = 8×10^{-5}) and oxidoreductase ($P = 4 \times 10^{-4}$). Again, the




FIG. 1. Quantile normalized gene expression (log2-transformed) of all samples measured by microarray in the Chernobyl group relative to controls. Black dots show expression of genes representing control values in both groups with a differential gene expression between >0.5-fold and <twofold. Gray dots below the black cloud represent <0.5-fold down-regulated genes while gray dots above show >twofold up-regulated genes.

genes coding for growth factors, G-proteins and oxidore-ductases predominated.

Genes with <0.2-fold change in expression were significantly over-represented in biological processes such as B-cell and antibody-mediated immunity ($P = 2 \times 10^{-74}$), immunity and defense ($P = 1 \times 10^{-53}$), signal transduction ($P = 8 \times 10^{-15}$), and cell communication ($P = 5 \times 10^{-14}$), as shown in Fig. 3. The accompanying molecular functions were significantly over-represented in the categories immunoglobulin ($P = 4 \times 10^{-83}$) and defense/immunity protein ($P = 4 \times 10^{-67}$). These changes were caused primarily by down-regulated genes coding for immunoglobulin (Fig. 3). Significantly increased numbers of down-regulated genes (although less pronounced) coding for G-proteins, cell adhesion and cytokines/chemokines were also detected for biological processes such as signal transduction and cell communication (Fig. 3).

LDA

Normalized gene expression measured with the LDA for 92 genes in every tumor sample showed an individual variation in gene expression in the range of a factor of 10 within each group examined. When comparing the geometric means of the two groups, it was shown that for certain genes (e.g. PAEP or PAGE1), an up to 1000-fold difference in the normalized gene expression between the groups was detected (Fig. 4). A ranking of the 92 genes was performed with four different mathematical algorithms (Table 2). Based on these results, 15 genes were selected that appeared most promising for differentiating between the two groups (Fig. 5A). Seven genes, COL13A1, KRTAP2-1, MMP1, SFRP1, ESM1, BAALC and PAGE1, made it possible on their own to completely differentiate between the groups without overlapping measurements (Fig. 5A). Discrimination of the groups with the seven




FIG. 2. The numbers of genes with >fivefold or <0.2-fold changes in expression (microarray data) were categorized into biological processes and associated molecular functions according to the proteins for which they code. White bars reflect the number of genes expected and the adjacent bars reflect to the number of genes that were found within the same category examined. These gene numbers were compared, and significant differences were shown by the P value. Within certain categories, stacked bars depict classes of genes that were predominantly altered such as G-proteins (light gray portion), growth factors (dark gray portion) and oxidoreductases (light gray portion with shading). The remaining gene groups are shown in black.

genes was improved when examining the age-matched groups (Fig. 5B), and three additional genes (*GNGT2*, *MST150* and *RIPK4*) allowed a complete differentiation between the groups (Fig. 5B).

DISCUSSION

With the microarray used, several hundred genes that were >fivefold up-regulated or down-regulated were selected. A total of 92 of these genes were chosen for diagnostic purposes and were confirmed by a recently developed high-throughput RTQ-PCR-based method called LDA. At the same time their measurements served as a control for the accuracy of the semiquantitative microarray results. The comparison of a semiquantitative and a quantitative method allowed us to compare whether up-regulation and down-regulation of the same gene could be detected similarly using the two different methods. Most of the genes (82%) were detected similarly with both methods. The overlap of similar gene expression detected with both methods is in line with experience in our laboratory using the same techniques on HSC cells exposed to a radioisotope, with an overlap of 90.3% (20).

Maenhaut *et al.* recently examined gene expression levels in post-Chernobyl PTC and sporadic PTC (21). In contrast to our findings, no specific gene expression signature could be identified between the tumor groups. They used a human cDNA microarray (dual-channel platform) covering 2,400 genes (Micromax, Perkin-Elmer). The single-channel microarray we used covered the whole genome (29,098)




FIG. 3. The numbers of genes with <0.2-fold changes in expression (microarray data) were categorized into biological processes and associated molecular functions according to the proteins for which they code. White bars reflect the number of genes expected and the adjacent bars reflect the number of genes that were found within the same category examined. These gene numbers were compared, and significant differences were shown by the P values. Within certain categories, stacked bars depict classes of genes that were predominantly altered such as immunoglobulins (light gray portion with shading), G-proteins (light gray portion), cell adhesion (dark gray portion), and cytokines and chemokines (white portion with shading). The remaining gene groups are shown in black.

genes), including approximately 6,000 additional genes from the Celera databank, and for signal detection used chemiluminescence instead of fluorescence, which is characterized by a larger (6-log) linear dynamic range. Moreover, Maenhaut et al. isolated RNA from smaller groups (12 post-Chernobyl PTC and eight sporadic PTC) for hybridization on their microarray, and fewer genes (12 compared to 92) were examined quantitatively using RTQ-PCR and on autonomous adenoma but not on PTC. Finally, our pathologist purposely selected only pure papillary histologies and no (e.g. follicular) subtypes, which also differed from the study of Maenhaut et al. Based on molecular and cytogenetic differences between sporadic and post-Chernobyl PTC, we expected to also find differences in gene expression. In view of the fact that a large proportion [60– 70%; for details, see refs. (6, 22)] of radiation-induced cancers are characterized by RET-PTC3 translocations or AKAP9-BRAF fusion (23) that differ from sporadic papillary carcinomas (2, 24–26), it is surprising that no changes in the gene expression levels were detected when the dualchannel platform was used. In contrast, in our experiments, post-Chernobyl PTC mRNA levels were increased over sporadic PTC in HRAS (up to 4.8-fold), KRAS (3.1-fold) and NRAS (2.8-fold). This is in line with the genotypes of our post-Chernobyl PTC group (Table 1). With comparative genomic hybridization (CGH), chromosomal imbalances were detected in 30% of post-Chernobyl PTC (27). The most frequent changes in DNA copy number involved chromosomes 2, 7, 13, 16 and 21; some of these specific alter-

TABLE 2
Selection of Most Promising Genes for Differentiating between Groups using
Four Gene Selection Algorithms

	χ^2		Gain ratio		Symmetrical uncertainty		ReliefF	
Gene	Score	Rank	Score	Rank	Score	Rank	Score	Rank
MOXD1	52.000	1	0.837	3	0.744	1	0.289	18
COL13A1	52.000	2	1.000	1	0.744	1	0.308	13
GNGT2	52.000	2	1.000	1	0.744	1	0.393	5
KRTAP2-1 and KRTAP2-4	52.000	2	1.000	1	0.744	1	0.302	14
MMP-1	52.000	2	1.000	1	0.744	1	0.229	24
SFRP-1	52.000	2	1.000	1	0.744	1	0.299	16
ESM1	52.000	2	1.000	1	0.744	1	0.331	9
MST150	52.000	3	1.000	1	0.744	1	0.197	34
BAALC	52.000	3	1.000	1	0.744	1	0.059	58
RPS4Y1	46.504	4	0.833	4	0.649	2	0.122	48
RIPKA	46.504	5	0.833	4	0.649	2	0.420	1
PAEP	46.147	6	0.868	2	0.613	3	0.184	36
PAGE1	46.147	6	0.868	2	0.613	3	0.036	66
C13orf33	46.147	7	0.868	2	0.613	3	0.244	22
PTGIS	46.147	7	0.868	2	0.613	3	0.060	57

Note. Only the first 15 candidates ordered in descending sequence of the score and accompanying rank are presented.

ations have been reported to be associated with aggressive biological behavior (27). A recently published CGH study concluded that, in particular, DNA gains in post-Chernobyl thyroid cancers appeared to be influenced by radiation ex-

posure (28), which should have an impact at the transcription level. Another group demonstrated the possibility of inducing RET rearrangement *in vitro* using X rays (29). Using array CGH, they detected a predominant pattern of




FIG. 4. Comparison of the geometric means of normalized gene expression for genes measured with the LDA in every tumor sample of the Chernobyl group relative to controls. Error bars represent the SEM. The Chernobyl group contained 11 tumor samples, and controls included 41 tumor samples. Genes are ordered in descending sequence according to the mean level of expression measured in the Chernobyl group.




FIG. 5. Normalized gene expression (LDA) of the 15 most promising genes for distinguishing the Chernobyl group from the whole control group (panel A). Four individuals of the control group whose ages were comparable to those of the Chernobyl group were selected, and the normalized gene expression was examined (panel B). The selection of 15 genes was based on mathematical algorithms, and the results are shown in Table 2.

subtelomeric deletions and hypothesized that chromosome 10 may be a hotspot for radiation-induced damage that could cause alterations in gene expression levels. With *in situ* hybridization, the presence of AXL mRNA and co-expression of AXL and GAS6 using immunohistochemistry was detected in 71–77% of post-Chernobyl PTCs (30), which again supports the argument that changes in gene expression should be expected in the post-Chernobyl group.

With the microarray used, an over-representation of upregulated genes coding for G-proteins, growth factors and oxidoreductases was found in post-Chernobyl PTC (Fig. 2). An elevation of HRAS in the apical cell surface using immunohistochemistry was found especially in malignant thyroid tissues (31), which is in line with our findings. However, changes at the protein level are not necessarily reflected at the gene expression level, as shown after radiation exposure in cells of a murine cell line (32). With regard to post-Chernobyl PTC, the literature focuses primarily on the examination of RAS mutations that were absent in radiation-induced PTC (33) but were detected for sporadic PTC (34, 35). Increased amounts of the mRNA and protein of growth factors like VEGF-A, PDGF-B and EGFR were found in thyroid tumor cells and PTC in vitro (36) as well as in vivo (37, 38). Increased serum concentrations of VEGF-A and EGFR protein were also reported in PTC (36, 39), eventually inducing systemic effects. It is interesting to note that increased levels were especially linked with PTC characterized by lymph node metastases and more aggressive behavior (40) and patients over the age of 45 (41). Again, post-Chernobyl PTC appeared more aggressive at presentation with lymph node metastasis (60-80%); other extrathyroidal spread and venous invasion were commonly

observed (11-13). Our experimental design allowed us to compare the gene expression levels in the two groups characterized by aggressive behavior. Growth factor levels appeared to be increased (VEGF-A, 5.6-fold; EGFL9, 8.9fold; PDGFC and PDGFRB, 8.4- and 3.8-fold, respectively; IGF1R, 2.2-fold; and IGBP1, 30-fold) in post-Chernobyl PTC group compared to the control PTC group, thus supporting the hypothesis that aggressiveness, lymph node metastasis and venous invasion might be linked with growth factor mRNA levels. Likewise, it has been shown by many authors that increased mRNA or protein levels of oxidoreductases such as cyclooxygenase 2 (PTGS2), superoxide dismutase (SOD1) and, in some studies, thyroid peroxidase (TPO) are characteristic of thyroid malignancies (42–45), which was again linked with age (46) and poorer prognosis. In our experiments, mRNA levels of TPO and SOD3 measured in post-Chernobyl PTC appeared to be increased twoand 3.4-fold over the control group, respectively, again supporting the hypothesis that tumor aggressiveness could be linked to oxidoreductase mRNA levels.

Apart from these up-regulated genes in our experiments with the microarrays we used, an over-representation of down-regulated genes coding primarily for immunoglobulins was found (Fig. 3). Infiltrates of immunoglobulin-producing lymphocytes are found in papillary cancer (47–51). Some authors have speculated that the immune response appears to be important in preventing metastasis and the recurrence of thyroid cancer (49, 51). Tumor-infiltrating lymphocytes have been associated with less extensive disease at diagnosis and improved disease-free survival for adults with PTC (52). The overall down-regulation of immunoglobulins found in our post-Chernobyl PTC group

TABLE 3
Characterization of the Seven Most Promising Gene Targets for Distinguishing between the Groups

Gene symbol	Gene name	Short description	Associated with tumor literature	Chromosome localization
SFRP1	Secreted frizzled-related protein 1	SFRPs act as soluble modulators of Wnt signaling SFRP1 and SFRP5 may be involved in determining the polarity of photoreceptor cells in the retina. SFRP1 is expressed in several human tissues, with the highest levels in heart	 SFRP1 is a candidate tumor suppressor gene for lung cancer (61) Down-regulator of human SFRP contributes to development of cervical cancer (62) Silencing of SFRP1 in CLL samples suggests its potentials as critical step in leukemogenesis (63) 	Chromosome: 8; location: 8p12-p11.1
MMP1	Matrix metallopeptidase 1 (intersititial collegenase)	Matrix metalloproteinase (MVP) family are in- volved in the break- down of extracellular matrix in normal physi- ological processes as well as in metastasis	See Discussion	Chromosome: 11; location: 11q22.3
ESM1	Endothelial cell-specific molecule 1	Mainly expressed in the endothelial cells in human lung and kidney tissues. It may play a role in endothelium-dependent pathological disorders	n.e.	Chromosome: 5; location: 5q11.2
KRTAP2-1 and KRTAP2-4	Keratin associated protein 2-1 & 2-4	Forms a matrix of keratin intermediate filaments which contribute to the structure of hair fibers	n.e.	Chromosome: 17; location: 17q12- q21
COL13A1	Collagen, type XII, alpha 1 Encodes the alpha chain of nonfibrillar collagens, function is not known, may serve a general function connective tissues		n.e.	Chromosome: 10; location: 10q22
BAALC	Brain and acute leukemia cytoplasmic	Expressed in patients with acute myeloid leukemia, encodes a protein with no homology to any known proteins or functional domains	n.e.	Chromosome: 8; location: 8q22.3
1 (prostate associated) tumors but not in no		Expressed in a variety of tumors but not in nor- mal tissues, except for the testis, function	n.e.	Chromosome: X; location: Xp11.23

Notes. Information was taken from the NCBI Entrez Gene database (updated 6 Mar 2006). Only literature associating the genes with tumor development is cited. The abbreviation "n.e." means no entries were present in the database.

could be interpreted as an expression of reduced immune defense, thus supporting tumor aggressiveness. However, these results might also reflect differences in the type and number of tumor-associated lymphocytes. It is interesting to note that another group using microarrays demonstrated a high variability and heterogeneity in gene expression when they compared sporadic PTC with normal thyroid tissue that could be attributed in particular to differing immunoglobulin gene expression (53).

Using the LDA separately on each of the tumor samples

analyzed, seven genes were identified that allowed us to completely distinguish post-Chernobyl PTC from control PTC (Figs. 4 and 5 and Table 3). An association with PTC is known for MMP1 and other metalloproteinases that appear to be linked with invasion (54), PTC malignancy (55), and promoting recurrence (56). As shown for VEGF-A and COX-2 (measured in plasma), an age-related association of metalloproteinases has been found (57). In a comparison of the level of *MMP1* expression in post-Chernobyl PTC with the whole control group, discrimination of the two groups

TABLE 4
Genes whose Expression was Beyond the Detection
Sensitivity of the LDA in >80% of the Tumor
Samples of the Chernobyl Group (one gene) or the
Controls (four genes)

Gene	Chernobyl group	Control group
PAEP		X
KRTAP2-1, 2-4		X
PAGE1		X
GZMH	X	
RPS4Y1		X

was demonstrated, with the post-Chernobyl PTC showing elevated MMP1 gene expression (Fig. 5A). Discrimination could be increased by selecting four tumor samples of the control group with a median age of 24 years, so that cases and controls were of comparable age and comparable aggressiveness (Fig. 5B). Nevertheless, our data provide only a hint that age differences might be less significant in explaining our results. Sporadic papillary thyroid cancer is a histology that is seldom found in children or juveniles but appears later in life (see above). Even when performing a larger analysis, it will be challenging to control for the potential confounding variable of age. Does that really matter? After diagnosis of PTC histology, irrespective of the patient's age, pathologists can only speculate about the etiology of the tumor. It was the focus of our study to compare the same histology, which developed due to a different etiology.

Another potential confounder could be iodine deficiency, which was present in the area where Belarusians lived and absent in the area where the control group originated. Presently it appears that iodine deficiency is associated with a follicular histology type of thyroid cancer but not with the incidence of a papillary type (58–60).

Information about the remaining six gene targets with PTC could not be found in the literature (for details, see Table 3).

It is preferable to make RTQ-PCR measurements on a group of patients completely different from those used for microarraying. When we did so, four post-Chernobyl PTCs and 33 sporadic PTCs remained for the LDA measurements. However, this had no influence on the discrimination between the groups (data not shown).

It was interesting that *KRTAP2-1* and *PAGE1* gene expression in most of the sporadic PTCs was not detectable using LDA technology (Table 4). Additionally, progestagen-associated endometrial protein (PAEP) and ribosomal protein S4, Y-linked 1 (RPS4Y1) showed a similar behavior in this tumor entity, while granzyme H (GZMH) was undetectable in most post-Chernobyl PTCs (Table 4). The several log-scale differences in expression of these genes between the groups could have implications at the protein level, thus making the associated proteins candidates for differentiation using immunohistochemistry.

In summary, our microarray data on post-Chernobyl PTC reflected a positive stimulus for tumor growth (over-representation of up-regulated genes coding for G-proteins and growth factors) and increased aggressiveness caused by overexpressed oxidoreductases, while the immune defense (over-representation of down-regulated genes coding for immunglobulins) appeared to be weakened. A complete differentiation of post-Chernobyl PTC from controls characterized by either comparable aggressiveness (PTC of older patients, median age 60 years) or comparable age (n=4) was accomplished by a selection of seven gene targets.

Further examinations of larger groups are needed to determine whether these findings are applicable as a diagnostic tool for identifying radiation-induced PTC.

ACKNOWLEDGMENTS

We would like to thank R. Obermair and C. Baaske for their skillful, accurate and careful technical assistance. This study was financed by the Ministry of Defence, Germany (10Z1-S-380406).

Received: January 23, 2007; accepted: August 15, 2007

REFERENCES

- R. Feinmesser, E. Lubin, K. Segal and A. Noyek, Carcinoma of the thyroid in children—a review. J. Pediatr. Endocrinol. Metab. 10, 561–568 (1997).
- B. J. Collins, A. B. Schneider, R. A. Prinz and X. Xu, Low frequency of BRAF mutations in adult patients with papillary thyroid cancers following childhood radiation exposure. *Thyroid* 16, 61–66 (2006).
- D. J. Blackburn, L. A. Michel, A. Rosiere, J. P. Trigaux and J. E. Donckier, Occurrence of thyroid papillary carcinoma in young patients. A Chernobyl connection? *J. Pediatr. Endocrinol. Metab.* 14, 503–506 (2001).
- M. Schlumberger, A. F. Cailleux, H. G. Suarez and F. de Vathaire, Irradiation and second cancers. The thyroid as a case in point. C. R. Acad. Sci. III 322, 205–213 (1999).
- W. M. Wiersinga, Thyroid cancer in children and adolescents—consequences in later life. *J. Pediatr. Endocrinol. Metab.* 14 (Suppl. 5), 1289–1298 (2001).
- F. Pacini, T. Vorontsova, E. Molinaro, E. Shavrova, L. Agate, E. Kuchinskaya, R. Elisei, E. P. Demidchik and A. Pinchera, Thyroid consequences of the Chernobyl nuclear accident. *Acta Paediatr. Suppl.* 88, 23–27 (1999).
- E. D. Williams, A. Abrosimov, T. Bogdanova, E. P. Demidchik, M. Ito, V. LiVolsi, E. Lushnikov, J. Rosai, Y. Sidorov and G. A. Thomas, Thyroid carcinoma after Chernobyl latent period, morphology and aggressiveness. *Br. J. Cancer* 90, 2219–2224 (2004).
- S. J. Rybakov, I. V. Komissarenko, N. D. Tronko, A. N. Kvachenyuk, T. I. Bogdanova, A. E. Kovalenko and M. Y. Bolgov, Thyroid cancer in children of Ukraine after the Chernobyl accident. *World J. Surg.* 24, 1446–1449 (2000).
- M. Ito, S. Yamashita, K. Ashizawa, H. Namba, M. Hoshi, Y. Shibata, I. Sekine, S. Nagataki and I. Shigematsu, Childhood thyroid diseases around Chernobyl evaluated by ultrasound examination and fine needle aspiration cytology. *Thyroid* 5, 365–368 (1995).
- 10. Y. E. Nikiforov, C. S. Heffess, A. V. Korzenko, J. A. Fagin and D. R. Gnepp, Characteristics of follicular tumors and nonneoplastic thyroid lesions in children and adolescents exposed to radiation as a result of the Chernobyl disaster. *Cancer* 76, 900–909 (1995).
- M. D. Tronko, T. I. Bogdanova, I. V. Komissarenko, O. V. Epstein,
 V. Oliynyk, A. Kovalenko, I. A. Likhtarev, I. Kairo, S. B. Peters and
 V. A. LiVolsi, Thyroid carcinoma in children and adolescents in

Ukraine after the Chernobyl nuclear accident: statistical data and clinicomorphologic characteristics. *Cancer* **86**, 149–156 (1999).

- Y. Shirahige, M. Ito, K. Ashizawa, T. Motomura, N. Yokoyama, H. Namba, S. Fukata, T. Yokozawa, N. Ishikawa and S. Nagataki, Childhood thyroid cancer: comparison of Japan and Belarus. *Endocr. J.* 45, 203–209 (1998).
- 13. Y. Nikiforov and D. R. Gnepp, Pediatric thyroid cancer after the Chernobyl disaster. Pathomorphologic study of 84 cases (1991–1992) from the Republic of Belarus. Cancer 74, 748–766 (1994).
- 14. L. Leenhardt, P. Grosclaude and L. Cherie-Challine, Increased incidence of thyroid carcinoma in France: a true epidemic or thyroid nodule management effects? Report from the French Thyroid Cancer Committee. Thyroid 14, 1056–1060 (2004).
- S. J. Cotterill, M. S. Pearce and L. Parker, Thyroid cancer in children and young adults in the North of England. Is increasing incidence related to the Chernobyl accident? *Eur. J. Cancer* 37, 1020–1026 (2001).
- T. Abelin, J. I. Averkin, M. Egger, B. Egloff, A. W. Furmanchuk, F. Gurtner, J. A. Korotkevich, A. Marx, I. I. Matveyenko and A. E. Okeanov, Thyroid cancer in Belarus post-Chernobyl: improved detection or increased incidence? Soz. Praventivmed. 39, 189–197 (1994).
- Z. Jaworowski, Editorial: Chernobyl proportions. Environ. Int. 14, 69–73 (1988).
- A. R. Shaha, TNM classification of thyroid carcinoma. World J. Surg. 31, 879–887 (2007).
- Y. Wang, I. V. Tetko, M. A. Hall, E. Frank, A. Facius, K. F. Mayer and H. W. Mewes, Gene selection from microarray data for cancer classification—a machine learning approach. *Comput. Biol. Chem.* 29, 37–46 (2005).
- 20. C. Seidl, M. Port, K. P. Gilbertz, A. Morgenstern, F. Bruchertseifer, M. Schwaiger, B. Röper, R. Senekowitsch-Schmidtke and M. Abend, ²¹³Bi-induced death of HSC45-M2 gastric cancer cells is characterized by G₂ arrest and up-regulation of genes known to prevent apoptosis but induced necrosis and mitotic catastrophe. *Mol. Cancer Ther.* 6, 2346–2359 (2007).
- C. Maenhaut, Gene expression profiling in human thyroid tumors. Bull. Mem. Acad. R. Med. Belg. 159, 533–539 (2004).
- 22. M. Takahashi, Oncogenic activation of the ret protooncogene in thyroid cancer. *Crit. Rev. Oncog.* **6**, 35–46 (1995).
- 23. R. Ciampi, J. A. Knauf, R. Kerler, M. Gandhi, Z. Zhu, M. N. Niki-forova, H. M. Rabes, J. A. Fagin and Y. E. Nikiforov, Oncogenic AKAP9-BRAF fusion is a novel mechanism of MAPK pathway activation in thyroid cancer. J. Clin. Invest. 115, 94–101 (2005).
- V. Detours, S. Wattel, D. Venet, N. Hutsebaut, T. Bogdanova, M. D. Tronko, J. E. Dumont, B. Franc, G. Thomas and C. Maenhaut, Absence of a specific radiation signature in post-Chernobyl thyroid cancers. *Br. J. Cancer* 92, 1545–1552 (2005).
- K. Unger, H. Zitzelsberger, G. Salvatore, M. Santoro, T. Bogdanova, H. Braselmann, P. Kastner, L. Zurnadzhy, N. Tronko and G. Thomas, Heterogeneity in the distribution of RET/PTC rearrangements within individual post-Chernobyl papillary thyroid carcinomas. *J. Clin. Endocrinol. Metab.* 89, 4272–4279 (2004).
- H. M. Rabes, Gene rearrangements in radiation-induced thyroid carcinogenesis. *Med. Pediatr. Oncol.* 36, 574–582 (2001).
- H. Richter, H. Braselmann, L. Hieber, G. Thomas, T. Bogdanova, N. Tronko and H. Zitzelsberger, Chromosomal imbalances in post-Chernobyl thyroid tumors. *Thyroid* 14, 1061–1064 (2004).
- R. R. Kimmel, L. P. Zhao, D. Nguyen, S. Lee, M. Aronszajn, C. Cheng, V. P. Troshin, A. Abrosimov, J. Delrow and P. E. Neiman, Microarray comparative genomic hybridization reveals genome-wide patterns of DNA gains and losses in post-Chernobyl thyroid cancer. *Radiat. Res.* 166, 519–531 (2006).
- S. P. Finn, P. Smyth, E. O'Regan, S. Cahill, R. Flavin, J. O'Leary and O. Sheils, Array comparative genomic hybridisation analysis of gamma-irradiated human thyrocytes. *Virchows Arch.* 445, 396–404 (2004).
- 30. M. Ito, M. Nakashima, T. Nakayama, A. Ohtsuru, Y. Nagayama, N.

- Takamura, E. P. Demedchik, I. Sekine and S. Yamashita, Expression of receptor-type tyrosine kinase, Axl, and its ligand, Gas6, in pediatric thyroid carcinomas around Chernobyl. *Thyroid* **12**, 971–975 (2002).
- Y. Mizukami, A. Nonomura, T. Hashimoto, S. Terahata, F. Matsubara,
 T. Michigishi and M. Noguchi, Immunohistochemical demonstration of ras p21 oncogene product in normal, benign, and malignant human thyroid tissues. *Cancer* 61, 873–880 (1988).
- 32. S. Szkanderova, M. Port, J. Stulik, L. Hernychova, I. Kasalova, D. Van Beuningen and M. Abend, Comparison of the abundance of 10 radiation-induced proteins with their differential gene expression in L929 cells. *Int. J. Radiat. Biol.* 79, 623–633 (2003).
- 33. V. Waldmann and H. M. Rabes, Absence of G(s)alpha gene mutations in childhood thyroid tumors after Chernobyl in contrast to sporadic adult thyroid neoplasia. *Cancer Res.* 57, 2358–2361 (1997).
- T. Fukushima, S. Suzuki, M. Mashiko, T. Ohtake, Y. Endo, Y. Takebayashi, K. Sekikawa, K. Hagiwara and S. Takenoshita, BRAF mutations in papillary carcinomas of the thyroid. *Oncogene*. 22, 6455
 6457 (2003).
- Z. H. Lu, G. C. Luo, J. M. Lu and C. Y. Pan, The expression of G proteins alpha-subunit mRNA in different thyroid diseases. *Zhonghua Nei Ke. Za Zhi.* 42, 103–105 (2003).
- S. Scarpino, F. C. D'Alena, A. Di Napoli, F. Ballarini, M. Prat and L. P. Ruco, Papillary carcinoma of the thyroid: evidence for a role for hepatocyte growth factor (HGF) in promoting tumour angiogenesis. J. Pathol. 199, 243–250 (2003).
- 37. B. Song, Immunohistochemical demonstration of epidermal growth factor receptor and ceruloplasmin in thyroid diseases. *Acta Pathol. Jpn.* **41**, 336–343 (1991).
- Y. Yano, N. Uematsu, T. Yashiro, H. Hara, E. Ueno, M. Miwa, G. Tsujimoto, Y. Aiyoshi and K. Uchida, Gene expression profiling identifies platelet-derived growth factor as a diagnostic molecular marker for papillary thyroid carcinoma. *Clin. Cancer Res.* 10, 2035–2043 (2004).
- 39. Z. Pasieka, H. Stepien, J. Komorowski, K. Kolomecki and K. Kuzdak, Evaluation of the levels of bFGF, VEGF, sICAM-1, and s-VCAM-1 in serum of patients with thyroid cancer. *Recent Results Cancer Res.* 162, 189–194 (2003).
- 40. X. M. Yu, C. Y. Lo, W. F. Chan, K. Y. Lam, P. Leung and J. M. Luk, Increased expression of vascular endothelial growth factor C in papillary thyroid carcinoma correlates with cervical lymph node metastases. Clin. Cancer Res. 11, 8063–8069 (2005).
- P. Siironen, J. Louhimo, S. Nordling, A. Ristimaki, H. Maenpaa, R. Haapiainen and C. Haglund, Prognostic factors in papillary thyroid cancer: an evaluation of 601 consecutive patients. *Tumour Biol.* 26, 57–64 (2005).
- D. Fuhrer, M. Eszlinger, S. Karger, K. Krause, C. Engelhardt, D. Hasenclever, H. Dralle and R. Paschke, Evaluation of insulin-like growth factor II, cyclooxygenase-2, ets-1 and thyroid-specific thyroglobulin mRNA expression in benign and malignant thyroid tumours. *Eur. J. Endocrinol.* 152, 785–790 (2005).
- C. Y. Lo, K. Y. Lam, P. P. Leung and J. M. Luk, High prevalence of cyclooxygenase 2 expression in papillary thyroid carcinoma. *Eur. J. Endocrinol.* 152, 545–550 (2005).
- 44. K. B. Weber, K. R. Shroyer, D. E. Heinz, S. Nawaz, M. S. Said and B. R. Haugen, The use of a combination of galectin-3 and thyroid peroxidase for the diagnosis and prognosis of thyroid cancer. *Am. J. Clin. Pathol.* **122**, 524–531 (2004).
- 45. K. Iwase, A. Nagasaka, K. Kato, S. Ohtani, T. Tsujimura, A. Inagaki, S. Jimbo, A. Nakai, R. Masunaga and M. Hamada, Localization of Cu/Zn and Mn superoxide dismutase in various thyroid disorders. Acta Endocrinol. (Copenh.) 129, 573–578 (1993).
- P. Siironen, A. Ristimaki, S. Nordling, J. Louhimo, R. Haapiainen and C. Haglund, Expression of COX-2 is increased with age in papillary thyroid cancer. *Histopathology* 44, 490–497 (2004).
- S. Mardente, L. Lenti, E. Lococo, F. Consorti, R. C. Della, S. Romeo, R. Misasi and A. Antonaci, Phenotypic and functional characterization of lymphocytes in autoimmune thyroiditis and in papillary carcinoma. *Anticancer Res.* 25, 2483–2488 (2005).

- S. H. Van, Jr., S. M. Hughes, C. Bower and D. M. Parham, Lymphocytic infiltration in pediatric thyroid carcinomas. *Pediatr. Dev. Pathol.* 7, 487–492 (2004).
- J. Modi, A. Patel, R. Terrell, R. M. Tuttle and G. L. Francis, Papillary thyroid carcinomas from young adults and children contain a mixture of lymphocytes. J. Clin. Endocrinol. Metab. 88, 4418–4425 (2003).
- E. Lindhorst, P. M. Schumm-Draeger, J. Bojunga, K. H. Usadel and G. Herrmann, Differences in tumor cell proliferation, HLA DR expression and lymphocytic infiltration in various types of thyroid carcinoma. *Exp. Clin. Endocrinol. Diabetes* 110, 27–31 (2002).
- 51. S. Gupta, A. Patel, A. Folstad, C. Fenton, C. A. Dinauer, R. M. Tuttle, R. Conran and G. L. Francis, Infiltration of differentiated thyroid carcinoma by proliferating lymphocytes is associated with improved disease-free survival for children and young adults. *J. Clin. Endocrinol. Metab.* 86, 1346–1354 (2001).
- S. Matsubayashi, K. Kawai, Y. Matsumoto, T. Mukuta, T. Morita, K. Hirai, F. Matsuzuka, K. Kakudoh, K. Kuma and H. Tamai, The correlation between papillary thyroid carcinoma and lymphocytic infiltration in the thyroid gland. *J. Clin. Endocrinol. Metab.* 80, 3421–3424 (1995).
- 53. B. Jarzab, M. Wiench, K. Fujarewicz, K. Simek, M. Jarzab, M. Oczko-Wojciechowska, J. Wloch, A. Czarniecka, E. Chmielik and A. Swierniak, Gene expression profile of papillary thyroid cancer: sources of variability and diagnostic implications. *Cancer Res.* 65, 1587–1597 (2005).
- K. Kameyama, Expression of MMP-1 in the capsule of thyroid cancer—relationship with invasiveness. *Pathol. Res. Pract.* 192, 20–26 (1996).
- 55. S. Korem, M. B. Resnick and Z. Kraiem, Similar and divergent patterns in the regulation of matrix metalloproteinase-1 (MMP-1) and tissue inhibitor of MMP-1 gene expression in benign and malignant

- human thyroid cells. J. Clin. Endocrinol. Metab. 84, 3322-3327 (1999)
- A. Patel, A. M. Straight, H. Mann, E. Duffy, C. Fenton, C. Dinauer, R. M. Tuttle and G. L. Francis, Matrix metalloproteinase (MMP) expression by differentiated thyroid carcinoma of children and adolescents. *J. Endocrinol. Invest.* 25, 403–408 (2002).
- 57. S. Y. Lin, Y. Y. Wang and W. H. Sheu, Preoperative plasma concentrations of vascular endothelial growth factor and matrix metalloproteinase 9 are associated with stage progression in papillary thyroid cancer. *Clin. Endocrinol. (Oxf.)* 58, 513–518 (2003).
- P. Hall, Radiation-induced thyroid cancer. Med. Oncol. Tumor Pharmacother. 9, 183–189 (1992).
- E. D. Williams, F. Pacini and A. Pinchera, Thyroid cancer following Chernobyl. J. Endocrinol. Invest. 18, 144–146 (1995).
- 60. C. Boltze, G. Brabant, H. Dralle, R. Gerlach, A. Roessner and C. Hoang-Vu, Radiation-induced thyroid carcinogenesis as a function of time and dietary iodine supply: an *in vivo* model of tumorigenesis in the rat. *Endocrinology* 143, 2584–2592 (2002).
- T. Fukui, M. Kondo, G. Ito, O. Maeda, N. Sato, H. Yoshioka, K. Yokoi, Y. Ueda, K. Shimokata and Y. Sekido, Transcriptional silencing of secreted frizzled related protein 1 (SFRP 1) by promoter hypermethylation in non-small-cell lung cancer. *Oncogene* 24, 6323–6327 (2005).
- 62. J. Ko, K. S. Ryu, Y. H. Lee, D. S. Na, Y. S. Kim, Y. M. Oh, I. S. Kim and J. W. Kim, Human secreted frizzled-related protein is down-regulated and induces apoptosis in human cervical cancer. *Exp. Cell Res.* 280, 280–287 (2002).
- 63. T. H. Liu, A. Raval, S. S. Chen, J. J. Matkovic, J. C. Byrd and C. Plass, CpG island methylation and expression of the secreted frizzled-related protein gene family in chronic lymphocytic leukemia. *Cancer Res.* 66, 653–658 (2006).