



Notes on Early Land Plants Today*. 93. New synonyms in Plagiochila

Authors: Söderström, Lars, and Hagborg, Anders

Source: Lindbergia, 2023(1)

Published By: Dutch Bryological and Lichenological Society and Nordic
Bryological Society

URL: <https://doi.org/10.25227/linbg.25017>

Notes on Early Land Plants Today*. 93. New synonyms in *Plagiochila*

Lars Söderström¹  and Anders Hagborg² 

¹Department of Biology, Norwegian University Science and Technology, Trondheim, Norway

²Gantz Family Collections Center, The Field Museum, Chicago, IL, USA

Correspondence: Lars Söderström (lars@elpt.info)

Lindbergia

2023: e25017

[doi: 10.25227/linbg.25017](https://doi.org/10.25227/linbg.25017)

Subject Editor and
Editor-in-Chief: Nils Cronberg
Accepted 25 April 2023

Introduction

For a forthcoming catalogue of hornworts and liverworts of Central America, a few taxa have been re-evaluated. Three species of *Plagiochila* are here synonymized based on the previous examinations but until now unpublished.

Plagiochila viridis Steph. was described from Guatemala (Stephani 1921) and is until today only known from the type specimen. The type specimen in G was annotated by M. Sauer in 2003 as a synonym of *Plagiochila bryopteroides* Spruce but the synonym was never published. *Plagiochila bryopteroides* was then synonymized with *Plagiochila deflexirama* Taylor by Gradstein (2015).

Plagiochila kroneana Steph. was described from Brazil (Stephani 1902) and has been reported from Brazil (Santa Catharina, São Paulo and Rio de Janeiro), Peru, Haiti and Costa Rica. Gradstein and Costa (2003) stated that it was close to *Plagiochila micropteryx* Gottsche without making a formal synonym. The latter was then synonymized with *Plagiochila laetevirens* Lindenb. by Gradstein (2015). The lectotype in G was annotated by M. Sauer in 2003 as being *Plagiochila laetevirens* but has up to now not been formally synonymized.

Plagiochila prostrata Steph. and *Plagiochila pittieri* Steph. were described in the same publication from the same locality in Costa Rica (Stephani 1902). The former is until now only known from the type while *Plagiochila pittieri* has been reported from a few places in Costa Rica and also from French Guiana, Guyana, Colombia and Peru. The lectotype of *Plagiochila prostrata* in G was annotated by H. Inoue in 1988 as being *Plagiochila pittieri* but it seems never to have been formally synonymized.

© 2023 The Authors. This is an Open Access article

*Notes on Early Land Plants Today is a series of mainly nomenclatural and taxonomic notes published by the ELPT project together with its invited collaborators.

Formal treatment

Plagiochila deflexirama Taylor, London J. Bot. 5: 262, 1846 ([Taylor 1846](#)). Type: Ecuador ('Peru').

=*Plagiochila bryopteroides* Spruce, Trans. Proc. Bot. Soc. Edinburgh 15: 499, 1885 (Spruce 1885), syn. fide [Gradstein \(2015\)](#). Type: Peru.

=*Plagiochila viridis* Steph., Sp. Hepat. (Stephani) 6: 239, 1921 ([Stephani 1921](#)), **syn. nov.** Lectotype: ([Bonner 1962](#), p. 331) if not holotype: Guatemala, Alta Verapaz, Cobán, 1907, Türkheim s.n., hb Levier 5573 in hb G (=G00282940, [www.ville-ge.ch/musinfo/bd/cjb/chg/adetail.php?id=222185&lang=en](#)).

***Plagiochila laetevirens* Lindenb.**, Sp. Hepat. (Lindenberg) 2-4: 101, 1840 ([Lindenberg 1840](#)). Type: Ecuador.

=*Plagiochila micropteryx* Gottsche, Ann. Sci. Nat. Bot. (sér. 5) 1: 107, 1864 ([Gottsche 1864](#)), syn. fide [Gradstein \(2015\)](#). Type: Colombia.

=*Plagiochila kroneana* Steph., Bull. Herb. Boissier (sér. 2) 2: 678 (=Sp. Hepat. [Stephani] 2: 215), 1902 ([Stephani 1902](#)), **syn. nov.** Lectotype ([Bonner 1962](#), p. 165): St. Catharina, Krone s.n. ex hb Schiller (Dresden 11) (G00282925 [www.ville-ge.ch/musinfo/bd/cjb/chg/adetail.php?id=222479&lang=en](#)).

***Plagiochila pittieri* Steph.** Bull. Herb. Boissier (sér. 2) 2: 673 (=Sp. Hepat. [Stephani] 2: 210, 1902 ([Stephani 1902b](#))). Lectotype ([Bonner 1962](#), p. 234) if not holotype: Costa Rica, Montaña de Poas, 2400 m,

1888, Pittier s.n., ex hb Bescherelle 18 (G00121457 [www.ville-ge.ch/musinfo/bd/cjb/chg/adetail.php?id=183233&lang=en](#)).

=*Plagiochila prostrata* Steph., Bull. Herb. Boissier (sér. 2) 2: 668 (=Sp. Hepat. [Stephani] 2: 205, 1902 ([Stephani 1902b](#))), **syn. nov.** Lectotype ([Bonner 1962](#), p. 239): Costa Rica, Montaña de Poás, 2400 m, Pittier s.n. (G00121488 [www.ville-ge.ch/musinfo/bd/cjb/chg/adetail.php?id=178993&lang=en](#)).

Note: we are choosing *Plagiochila pittieri* as name since there are more reports under this name.

References

- Bonner, C. E. B. 1962. Index hepaticarum. Pars I. *Plagiochila* (Dum.) Dum. – Cramer.
- Gottscche, C. M. 1864. Hepaticae. – In: Triana, J. J. and Planchon, J. E. (eds), Prodromus florae novo-granatensis). – Ann. Sci. Nat. Bot. 1: 95–198. <https://doi.org/10.5962/bhl.title.5385>
- Gradstein, S. R. 2015. New synonyms and new lectotypifications in Neotropical *Plagiochila* (Marchantiophyta). – Cryptog. Bryol. 36: 369–379. <https://doi.org/10.7872/cryb/v36.iss4.2015.369>
- Lindenberg, J. B. W. 1840. Species hepaticarum, fasc. 2–4. – Henry & Cohen, pp. 37–120. https://reader.digitale-sammlungen.de/de/fs1/object/display/bsb10229809_00037.html
- Stephani, F. 1902. Species hepaticarum 2. – Bulletin de l'Herbier Boissier, vol. 2, pp. 657–688. <https://doi.org/10.5962/bhl.title.95494>
- Stephani, F. 1921, Species hepaticarum 6. – George & Cie, pp. 177–240. <https://doi.org/10.5962/bhl.title.95494>
- Taylor, T. 1846. New hepaticae. – Lond. J. Bot. 5: 258–284. <https://www.biodiversitylibrary.org/item/6316#page/2631mode/1up>