Appendix

Basic information for each species

(based on Flannery et al. 1996 and Betz 2001)

Australia

Dendrolagus bennettianus (Bennett's Tree-kangaroo)

Body weight: males: 11.5-13.7 kg; females: 7.5-10.6 kg

Main habitat: closed forest, various types ranging from lowland, mon-

soon forest to montane rainforest

Subspecies: none

Distribution: north-east Queensland, north of the Daintree River to

Mount Amos area, west from Coral Sea coast to the

Windsor Tablelands

Dendrolagus lumholtzi (Lumholtz's Tree-kangaroo)

Body weight: males. 8.6 kg (av.); females: 7.1 kg (av.)

Main habitat: upland closed forest

Subspecies: none

Distribution: north-east Queensland, from Cardwell Range and Atherton

Tablelands north to the Mount Carbine Tablelands

New Guinea

Dendrolagus inustus (Grizzled Tree-kangaroo)

Body weight: males: to 17 kg (15.5 kg av.); females: 11.4 kg (av.)

Main habitat: ? low and middle elevation rainforest

Subspecies: 2

Distribution: D. i. inustus, West Papua only, mainly on Vogelkopt,

Bomberai and Wandammen Peninsulas

D. i. finschi, north coast of New Guinea from approximate location of Wewak westwards to Van Rees Mountains and

Yapen Island in West Papua