



# References

- Baker, R.T. and Smith, H.G. (1920). *A Research on the Eucalypts and their Essential Oils*. (Govt. Printer, Sydney).
- Blake, S.T. (1953). Studies on northern Australian species of *Eucalyptus*. *Australian Journal of Botany* **1**: 185–352.
- Blakely, W.F. (1934). *A Key to the Eucalypts* (The Worker Trustees, Sydney).
- Brooker, M.I.H. (2000). A new classification of the genus *Eucalyptus* L'Hér. (Myrtaceae). *Australian Systematic Botany* **13**: 79–148.
- Brooker, M.I.H. and Kleinig, D.A. (1983–2006). *Field Guide to Eucalypts*, Vols. 1, 2, 3 (Inkata Press and Bloomings Books, Melbourne).
- Carr, D.J., Carr, S.G.M. and Lenz, J.R. (1986). Leaf venation in *Eucalyptus* and other genera of Myrtaceae: implications for systems of classification of venation. *Australian Journal of Botany* **34**: 53–62.
- Chippendale, G.M. (1988). *Eucalyptus, Angophora*. in *Flora of Australia Vol. 19* (Ed. A.S. George) Australian Government Publishing Service, Canberra).
- Gibbs, A.K., Udovicic, F., Drinnan, A.N. and Ladiges, P.Y. (2009). Phylogeny and classification of *Eucalyptus* subgenus *Eudesmia* (Myrtaceae) based on nuclear ribosomal DNA, chloroplast DNA and morphology. *Australian Systematic Botany* **22**: 158–179.
- Hill, K.D. and Johnson, L.A.S. (1992). Systematic studies in the eucalypts. 5. New taxa and combinations in *Eucalyptus* (Myrtaceae) in Western Australia. *Telopea* **5**: 561–634.
- Johnson L.A.S. (1962). Studies in the taxonomy of *Eucalyptus*. *Contributions New South Wales National Herbarium* **3**: 103–126.
- Maiden, J.H. (1922–1923). *A Critical Revision of the Genus Eucalyptus*, Vol. 6, 357–418 (Government Printer, Sydney).
- McDonald, M.W., Brooker, M.I.H. and Butcher, P.A. (2009). A taxonomic revision of *Eucalyptus camaldulensis* (Myrtaceae). *Australian Systematic Botany* **22**: 257–285.
- Mueller, F. von (1879–1884). *Eucalyptographia: A Descriptive Atlas of the Eucalypts of Australia and the Adjoining Islands*. (Govt. Printer, Melbourne).
- Nicolle, D. and French, M.E. (2012). Two new mallee box species (*Eucalyptus* sect. *Adnataria* ser. *Lucasianae*; Myrtaceae) from the Pilbara region of Western Australia. *Nuytsia* **22**: 17–29.
- Parra-O, C., Bayly, M., Drinnan, A.N., Udovicic, F. and Ladiges, P.Y. (2009). Phylogeny, major clades and infrageneric classification of *Corymbia* (Myrtaceae), based on nuclear ribosomal DNA and morphology. *Australian Systematic Botany* **22**: 384–399.
- Slee, A., Brooker, M.I.H., Duffy, S.M. and West, J. (2006). *EUCLID: Eucalypts of Australia*. (CSIRO Publishing: Melbourne) [CD ROM].
- Steane, D.A., Nicolle, D., McKinnon, G.E., Vaillancourt, R.E. and Potts, B.M. (2002). Higher-level relationships among the eucalypts are resolved by ITS-sequence data. *Australian Systematic Botany* **15**: 49–62.
- Welch, M.B. (1920). *Eucalyptus oil glands*. *Journal & Proceedings of the Royal Society of New South Wales* **54**: 208–217.
- Whittock, S., Steane, D.A., Vaillancourt, R.E. and Potts, B.M. (2003). Molecular evidence shows that the tropical boxes (*Eucalyptus* subgenus *Minutifructus*) are over-ranked. *Transactions of the Royal Society of South Australia* **127**: 27–32.