

Bibliography

- Afroze, S. & Uddin, S. (1998). Bioecology of *Synia melanaria* Mulsant (Coleoptera: Coccinellidae) predating on *Coptosoma ostensum* Distant. *Journal of Entomological Research* **22**: 329–336.
- Agassiz, J. (1846). *Nomenclator zoologicus index universalis*. Soloduri: Jent & Grassmann 393 pp.
- Ahmad, R. (1970). Studies in West Pakistan on the biology of one nitidulid species and two coccinellid species (Coleoptera) that attack scale insect species (Homoptera: Coccoidea). *Bulletin of Entomological Research* **60**: 5–16.
- Al Abassi, S., Birkett, M.A., Petterson, J., Pickett, J.A. & Woodcock, C.M. (1998). Ladybird beetle odour identified and found to be responsible for attraction between adults. *Cellular and Molecular Life Sciences* **54**: 876–879.
- Ahmadi, A.A. & Yazdani, A. (1993). A new species of *Diloponis* Pope, a predator of diaspidid scales in the south of Iran. *NachrichtenBlatt Bayerischen Entomologie* **42**: 30–32.
- Almeida, L.M.d. & Gordon, R.D. (1990). The Coccinellidae (Coleoptera) of South America Part II. A revision of the genus *Eupalea* Mulsant, 1850 (Coleoptera, Coccinellidae). *Revista Brasileira de Entomologia* **34**: 313–330.
- Anderson, J.M.E. (1981). Biology and distribution of *Scymnodes lividigaster* (Mulsant) and *Leptothea galbula* (Mulsant) Australian ladybirds (Coleoptera: Coccinellidae). *Proceedings of the Linnaean Society of New South Wales* **105**(1980): 1–15.
- Anderson, J.M.E. (1982). Seasonal habitat utilization and food of the ladybirds *Scymnodes lividigaster* (Mulsant) and *Leptothea galbula* (Mulsant) (Coleoptera: Coccinellidae). *Australian Journal of Zoology* **30**: 59–70.
- Anderson, J.M.E. & Richards, A.M. (1977). First record of reproductive diapause and aggregation in Australian Coccinellidae (Coleoptera:). *Proceedings of the Linnaean Society of New South Wales* **102**: 13–17.
- Austin, A.D., Yeates, D.E., Cassis, G., Fletcher, M.J., La Salle, J., Lawrence, J.F., McQuillan, P.B., Mound, L.A., Bickel, D.J., Gullan, P.J., Hales, D.F. & Taylor, G.S. (2004). Insects 'Down Under' — diversity, endemism and evolution of the Australian insect fauna: examples from select orders. *Australian Journal of Entomology* **43**: 216–234.
- Ayr, W.A. & Browne, L.M. (1977). The ladybug alkaloids including synthesis and biosynthesis. *Heterocycles* **7**: 685–707.
- Banks CJ (1958) Effects of the ant *Lasius niger* (L.), on the behaviour and reproduction of the black bean aphid, *Aphis fabae* Scop. *Bulletin of Entomological Research* **49**: 701–714.
- Balduf, W.V. (1935). *The Bionomics of Entomophagous Coleoptera*. St Louis, Mo.: J.S. Swift Co. Inc. 1 +220 pp. mimeograph 108 figs.
- Bashford, R. (1999). Predation by ladybird beetles (Coccinellids) on immature stages of *Eucalyptus* leaf beetle *Chrysophtharta bimaculata* (Olivier). *Tasforests* **11**: 77–86.
- Bartlett, B.R. (1961). The influence of ants upon parasites, predators and scale insects. *Annals of the Entomological Society of America* **54**: 543–551.
- Binaghi, G. (1930). Gli stadi preimaginali del *Pullus auritus* Thunb e delle *Scymnus rufipes* Fabr. Morphologia, notizie ecologiche ed apparati genitali (Col. Coccinellidae). *Memorie della Societa Entomologica Italiana* **20**: 148–161.
- Bielawski, R. (1959). Coccinellidae (Coleopt.) von Sumba, Sumbawa, Flores, Timor und Bali. *Verhandlungen der Naturforschenden Gesellschaft in Basel* **69**(2): 145–166.
- Bielawski, R. (1961). Bemerkungen über die männlichen Genitalien von Arten der Gattung *Illeis* Muls., nebst Beschreibung einer neuen Art und einer Unterart (Coleoptera: Coccinellidae). *Annales Zoologici (Warszawa)* **19**: 353–368.