

References Cited

- Carayon, J. 1949.** Description d'un Schizopterinae africain, *Pinochius africanus* n. gen., n. sp., et remarques sur les Hemipteres Cryptostemmatidae. Bull. Mus. Nat. His. Nat. 21: 239–242.
- Carpintero, D. L., and P. M. Dellapé. 2006.** *Williamsocoris*, a new genus of Schizopteridae (Heteroptera) from Argentina. Zool. Sci. 23: 653–655.
- China, W. E. 1946.** New Cryptostemmatidae (Hemiptera) from Trinidad, British West Indies. Proc. R. Soc. Lond. B Biol. Sci. 15: 148–154.
- Distant, W. 1913.** No. IX.—Rhynchota. Part I: Suborder Heteroptera. Trans.Linn.Soc. Lond. 2nd Series: Zoology 16: 139–191.
- Emsley, M. G. 1969.** The Schizopteridae (Hemiptera: Heteroptera) with the descriptions of new species from Trinidad. Mem. Am. Entomol. Soc. 25: 1–154.
- Esaki, T., and S. Miyamoto. 1959.** A new or little known *Hypselosoma* from Amami-Oshima and Japan, with the proposal of a new tribe for the genus (Hemiptera). Sieboldia Fukuoka 2: 109–120.
- Fieber, F. X. 1860.** Exegesen in Hemipteren. Wiener Entomologische Monatschrift 9: 257–272.
- Folmer, O., M. Black, W. Hoeh, R. Lutz, and R. Vrijenhoek. 1994.** DNA primers for amplification of mitochondrial cytochrome c oxidase subunit I from diverse metazoan invertebrates. Mol. Mar. Biol. Biotech. 3: 294–299.
- Forero, D., L. Berniker, and C. Weirauch. 2013.** Phylogeny and character evolution in the bee-assassins (Insecta: Heteroptera: Reduviidae). Mol. Phylogenet. Evol. 66: 283–302.
- Forthman, M., D. Chłond, and C. Weirauch. 2016.** Taxonomic monograph of the endemic millipede assassin bug fauna of Madagascar (Hemiptera: Reduviidae: Ectrichodiinae). Bull. Am. Mus. Nat. Hist. 400 (2016): 1–152.
- Giribet, G., S. Carranza, J. Bagnà, M. Riutort, and C. Ribera. 1996.** First molecular evidence for the existence of a Tardigrada + Arthropoda clade. Mol. Biol. Evol. 13: 76–84.
- Gross, G. F. 1951.** On three new genera and species of Schizopterinae (Heteroptera–Cryptostemmatidae) from Australia. Rec. South Aust. Mus. 9: 534–544.
- Heymons, R. 1899.** Beiträge zur Morphologie und Entwicklungsgeschichte der Rhynchoten. Nova acta Leopoldina: Abhandlungen der Kaiserlich Leopoldinisch-Carolinisch Deutschen Akademie der Naturforscher 74: 351–456.
- Hill, L. 1980.** Tasmanian Dipsocoroidea (Hemiptera: Heteroptera). Aust. J. Entomol. 19: 107–127.