



---

## **Redtenbacherusnom. nov., a replacement name for the preoccupied phasmid genus *Ernodes* Redtenbacher, 1908 (Phasmida: Phasmatidae)**

Authors: Özdikmen, Hüseyin, and Darilmaz, Mustafa C.

Source: Journal of Orthoptera Research, 17(1) : 35-36

Published By: Orthopterists' Society

URL: [https://doi.org/10.1665/1082-6467\(2008\)17\[35:RNNARN\]2.0.CO;2](https://doi.org/10.1665/1082-6467(2008)17[35:RNNARN]2.0.CO;2)

# ***Redtenbacherus* nom. nov., a replacement name for the preoccupied phasmid genus *Ernodes* Redtenbacher, 1908 (Phasmida: Phasmatidae)**

Accepted June 5, 2008

HÜSEYİN ÖZDİKMEN AND MUSTAFA C. DARILMAZ

Gazi Üniversitesi, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, 06500 Ankara / Türkiye, Email: ozdikmen@gazi.edu.tr; mdarilmaz@yahoo.com

## **Abstract**

A junior homonym was detected among phasmid genera and the following replacement name is proposed: *Redtenbacherus* nom. nov. for *Ernodes* Redtenbacher, 1908. New combinations are proposed for the species group names currently included in this genus. *Redtenbacherus antennatus* (Redtenbacher, 1908) comb. nov.; *Redtenbacherus jacobsoni* (Rehn, 1912) comb. nov. and *Redtenbacherus sumatranus* (Redtenbacher, 1908) comb. nov.

## **Key words**

name change, homonymy, replacement name, Phasmida, Phasmatidae

## **Introduction**

The purpose of the present paper is to bring the taxonomy of Phasmida into accordance with the requirements of the International Code of Zoological Nomenclature (1999). The genus name *Ernodes* is previously published for another taxon, making it a junior homonym. In accordance with Article 60 of the International Code of Zoological Nomenclature, we propose a substitute name for this genus name.

## **Taxonomy**

### **Family Phasmatidae Genus *Redtenbacherus* nom. nov.**

*Ernodes* Redtenbacher, 1908. In Brunner & Redtenbacher, Ins.-Fam. Phasm., 368, 373. (Insecta: Phasmida: Verophasmatodea: Anareolatae: Phasmatidae: Platycraninae: Platycranini). Preoccupied by *Ernodes* Wallengren, 1891. K. svenska VetenskAkad. Handl., (N.S.) 24, no. 10, 113. (Insecta: Trichoptera: Sericostomatoidea: Beraeidae).

**Remarks on nomenclatural change.**— For the family Phasmatidae Redtenbacher (1908) proposed the oriental phasmid genus *Ernodes* of type species *Ernodes sumatranus* Redtenbacher, 1908, by subsequent designation Zompro & Adis (2001). It is still used as a valid genus name in Phasmida (e.g., Bradley & Galil 1977, Zompro & Adis 2001, Bragg 2001, Zompro 2004, Otte & Brock 2005). Currently, the genus *Ernodes* Redtenbacher, 1908 includes 3 species: *Ernodes antennatus* Redtenbacher, 1908; *Ernodes jacobsoni* Rehn, 1912 and *Ernodes sumatranus* Redtenbacher, 1908.

Unfortunately, the genus name was preoccupied. Wallengren (1891) had described the caddisfly genus *Ernodes* with the type species *Rhyacophila articularis* Pictet, 1834 for Trichoptera: *Ernodes* is still used as a valid genus name in the family Beraeidae (e.g., Morse et al., 2007). Presently, the genus *Ernodes* Wallengren, 1891 includes 15 species from the Western Palaearctic Region [Europe & Northern Asia (excluding China)] as *E. abanticus* Cakin, 1983; *E. anatolicus* Cakin, 1983; *E. articularis* (Pictet, 1834); *E. botosaneanui* Vaillant, 1982; *E. digitatus* Martynov, 1918; *E. dirginensis* Sipahiler, 1998; *E. kakofonix* Malicky, 1979; *E. macahelensis* Sipahiler, 1997; *E. nigroauratus* Mosely, 1930; *E. palpatus* (Martynov, 1909); *E. rizeiensis* Sipahiler, 1987; *E. saltans* Martynov, 1913; *E. skipetarum* Malicky, 1986; *E. vicinus* (McLachlan, 1879) and *E. wolfgangjoosti* Mey, 2004.

The phasmid genus *Ernodes* Redtenbacher, 1908 is therefore a junior homonym of the genus *Ernodes* Wallengren, 1891. Brock (2008) notes “a replacement name is needed for *Ernodes*” but does not propose any. In addition to this, Uvarov (1940) states that *Ernodes* Redtenbacher, 1908 is preoccupied by *Ernodes* Wallengren, 1891 (Trichoptera). Uvarov also refrained from proposing a new name for *Ernodes*, due to its being a synonym of *Echetus* Stål, 1875 at that time. Zompro & Adis (2001) reinstated *Ernodes* as valid, but were presumably unaware of Uvarov. So we propose a new replacement name *Redtenbacherus* nom. nov. for *Ernodes* Redtenbacher, 1908.

**Etymology.**— Named for Josef Redtenbacher who authored the generic name *Ernodes*. The replacement name *Redtenbacherus* is male in gender.

**Summary of nomenclatural changes.**—

Genus *Redtenbacherus* nom. nov.  
= *Ernodes* Redtenbacher, 1908 (not Wallengren, 1891).

Species *Redtenbacherus antennatus* (Redtenbacher, 1908) comb. nov.  
= *Ernodes antennatus* Redtenbacher, 1908  
Type locality: Asia-Tropical, Malesia, Sumatra, Mt. Singalang.

Species *Redtenbacherus jacobsoni* (Rehn, 1912) comb. nov.  
= *Ernodes jacobsoni* Rehn, 1912  
Type loc.: Asia-Tropical, Malesia, Java, Nongkodjadar.

Species *Redtenbacherus sumatranus* (Redtenbacher, 1908) comb. nov.  
= *Ernodes sumatranus* Redtenbacher, 1908  
Type loc.: Asia-Tropical, Malesia, Sumatra, Mt Singalang.

**References**

- Bradley J.C., Galil B.S. 1977. The taxonomic arrangement of the Phasmatodea with keys to the subfamilies and tribes. *Proceedings of the Entomological Society of Washington* 79: 176-208.
- Bragg P.E. 2001. *Phasmids of Borneo*. Kota Kinabalu. Natural History Publications. 772 pp.
- Brock P.D. 2008. Phasmida Species File Online. Version 2.1 / 3.3. Available from : <http://Phasmida.SpeciesFile.org>.
- International Commission of Zoological Nomenclature. 1999. *International Code of Zoological Nomenclature*. Fourth Edition. The International Trust for Zoological Nomenclature, London.
- Morse J.C., Armitage B.J., Barnard P.C., Holzenthal R.W., Huisman J., Ivanov V.D., de Moor F.C., Tanida K., Wells A., Wichard A.W. 2007. *Trichoptera World Checklist*. Downloaded 23 - 08 - 2007. Available from: <http://entweb.clemson.edu/database/trichopt/>
- Otte D., Brock P. 2005. *Phasmida Species File*. *Catalogue of Stick & Leaf Insects of the World*. Association Insect Diversity, USA, 414 pp.
- Redtenbacher J. 1908. Die Insektenfamilie der Phasmiden. In: Brunner von Wattenwyl K., Redtenbacher J. 3: 339-589.
- Uvarov B.P. 1940. Twenty eight new generic names in Orthoptera. *Annals and Magazine of Natural History, London*, 5: 173-176.
- Wallengren H.D.J. 1891. Skandinaviens Neuroptera, II. Neuroptera Trichoptera. *Kongliga Svenska Vetenskaps-Akademiens Handlingar* 24: 1-173.
- Zompro O. 2004. Review of the genera of the *Areolatae*, including the status of *Timema* and *Agathemera* (Insecta, Phasmatodea). Goecke & Evers, Keltorn-Weiler, Germany. 327 pp.
- Zompro O., Adis J. 2001. A new species of Phasmatodea of the genus *Echetlus* Stål. *Revista de Agricultura* 76: 291-297.