



---

## Table of Contents

Source: Natural Areas Journal, 44(5)

Published By: Natural Areas Association

URL: <https://doi.org/10.3375/2162-4399-44.5.C1>

## NAJ Invasive Species Compendium

### Sorting by Theme

#### Effective Treatment of Invasive Species

##### *Assessing the Effectiveness of Invasive Species Treatments and Management*

- Mervosh, T.L., and D. Gumbart. 2015. Cutting and herbicide treatments for control of Oriental bittersweet, pale swallow-wort and Morrow's honeysuckle. 35:256–265. <https://doi.org/10.3375/043.035.0206>
- Bowman Cutway, H. 2017. Effects of long-term manual invasive plant removal on forest understory composition. 37:530–539. <https://doi.org/10.3375/043.037.0409>
- Tatina, R. 2015. Effects on *Trillium recurvatum*, a Michigan threatened species, of applying glyphosate to control *Vinca minor*. 35:465–467. <https://doi.org/10.3375/043.035.0309>
- Carreiro, M.M., L.C. Fuselier, and M. Waltman. 2020. Efficacy and nontarget effects of glyphosate and two organic herbicides for invasive woody vine control. 40:129–141. <https://doi.org/10.3375/043.040.0204>
- Marchetto, K.M., D.J. Heuschele, D.J. Larkin, and T.M. Wolf. 2020. Goat digestion leads to low survival and viability of common buckthorn (*Rhamnus cathartica*) seeds. 40:150–154. <https://doi.org/10.3375/043.040.0206>
- Stevens, M.T., and D.T. Young. 2022. A comparison of mechanical versus chemical control of the invasive species myrtle spurge (*Euphorbia myrsinites*). 42:120–123. <https://doi.org/10.3375/21-20>
- Norland, J., J. Cleys, and K. Sedivec. 2022. Grazing of reed canarygrass (*Phalaris arundinacea*) in restored wet meadows. 42:185–195. <https://doi.org/10.3375/21-28>
- Bowden, R.D., A. Caylor, G. Hemmelgarn, M. Kresse, A. Martin, and M. Althouse. 2022. Prescribed browsing by goats shows promise in controlling multiflora rose in a deciduous forest at the Erie National Wildlife Refuge in northwestern Pennsylvania. 42:196–205. <https://doi.org/10.3375/21-30>
- Wagner, A.S., K.E. Mueller, and K.L. Stuble. 2023. Overstory thinning impacts fruit production and handling of the nonnative shrub, *Rhamnus frangula*, in a young temperate forest. 43:261–267. <https://doi.org/10.3375/0885-8608-43.4.261>
- Dolinski, L.F., T.L. Bal, C.R. Webster, and S.C. Resh. 2024. Assessing the utility of a native pathogenic fungus as a biocontrol alternative to herbicide on invasive buckthorns in forests of Upper Michigan. 44:57–64. <https://doi.org/10.3375/2162-4399-44.2.57>
- Behr, W.L., C. Andruk, C. Schwope, and N.L. Fowler. 2024. Benefits to native grasses from a summer fire still present 12 years later. 44:172–182. <https://doi.org/10.3375/2162-4399-44.3.172>
- Schuster, M.J., P.D. Wragg, A. Roth, and P.B. Reich. 2024. Understory revegetation enhances efficacy of prescribed burning after common buckthorn (*Rhamnus cathartica*) management. 44:206–214. <https://doi.org/10.3375/2162-4399-44.4.206>
- Dornbusch, M.J., R.F. Limb, and K.K. Sedivec. 2020. Alternative grazing management strategies combat invasive grass dominance. 40:86–95. <https://doi.org/10.3375/043.040.0110>

##### *Assessing Herbicide Treatments and Increasing Effectiveness through an Integrated Approach*

- Enloe, S.F., G. Wehtje, C.H. Gilliam, and K.T. Adams. 2015. Creeping lilyturf (*Liriope spicata*) control with postemergent-applied herbicides. 35:574–580. <https://doi.org/10.3375/043.035.0409>

- Frey, M., and J.P. Schmit. 2015. Suppressing Japanese stiltgrass (*Microstegium vimineum*) with the grass-specific herbicide sethoxydim. 35:585–589. <https://doi.org/10.3375/043.035.0411>
- Weese, Z., and T.G. Barnes. 2017. Efficacy of dormant season herbicide application on control of Japanese honeysuckle (*Lonicera japonica*) in Kentucky. 37:286–293. <https://doi.org/10.3375/043.037.0304>
- Frey, M., and J.P. Schmit. 2019. Controlling Italian arum (*Arum italicum*). 39:372–377. <https://doi.org/10.3375/043.039.0309>
- Marble, S.C., and A. Chandler. 2021. Efficacy of postemergence herbicides for control of small-leaf spiderwort (*Tradescantia fluminensis*) in Florida. 41:138–144. <https://doi.org/10.3375/043.041.0208>
- Sinks, I.A., A.B. Borde, H.L. Diefenderfer, and J.P. Karnezis. 2021. Assessment of methods to control invasive reed canarygrass (*Phalaris arundinacea*) in tidal freshwater wetlands. 41:172–185. <https://doi.org/10.3375/043.041.0303>
- Alba, C., M. DePrenger-Levin, and R. Hufft. 2024. Incorporation of indaziflam into natural areas management of cheatgrass and other short-lived invasive species: Post-fire assessment in a semi-arid Colorado grassland. 44:9–20. <https://doi.org/10.3375/2162-4399-44.1.9>

#### *Increasing Effectiveness through knowledge*

- Keiter, D.A., and J.C. Beasley. 2017. Hog heaven? Challenges of managing introduced wild pigs in natural areas. 37:6–16. <https://doi.org/10.3375/043.037.0117>
- Kobiela, B., J. Quast, C. Dixon, and E.S. DeKeyser. 2017. Targeting introduced species to improve plant community composition on USFWS-managed prairie remnants. 37:150–160. <https://doi.org/10.3375/043.037.0204>
- Durham, R.A., D.L. Mummey, L. Shreading, and P.W. Ramsey. 2017. Phenological patterns differ between exotic and native plants: Field observations from the Sapphire Mountains, Montana. 37:361–381. <https://doi.org/10.3375/043.037.0310>
- Preister, L., B. Kobiela, C. Dixon, and E.S. DeKeyser. 2019. A model to identify smooth brome elongation using correlation of mean stage count and accumulated growing degree days. 39:364–371. <https://doi.org/10.3375/043.039.0308>
- Preister, L., B. Kobiela, and E. DeKeyser. 2021. Smooth brome (*Bromus inermis*) phenological variability under controlled greenhouse conditions. 41:301–306. <https://doi.org/10.3375/20-15>
- Forner, W.G., S.M. Zalba, and D.L. Guadagnin. 2022. Methods for prioritizing invasive plants in protected areas: A systematic review. 42:69–78. <https://doi.org/10.3375/20-47>
- Kamoroff C., E. Meyer, C.S. Goldberg, S. Parker, M.M. Smith, and J.S. Reece. 2023. Investigating aquatic species distributions for Sequoia and Kings Canyon National Parks: A comparison of visual and environmental DNA surveys in streams. 43:225–234. <https://doi.org/10.3375/0885-8608-43.4.225>
- Tu, M. 2024. Community scientists survey and assess invasive *Rubus* spp. in Portland natural areas: Management strategies against *Rubus armeniacus* should not be altered due to the presence of the congener *Rubus praecox*. 44:27–34. <https://doi.org/10.3375/2162-4399-44.1.27>

#### ***Impact of Invasive Species on Native Species Diversity, Abundance, Habitat, Recruitment, and Survival***

- Whyte, R.S., C.I. Bocetti, and D.M. Klarer. 2015. Bird assemblages in *Phragmites* dominated and non-*Phragmites* habitats in two Lake Erie coastal marshes. 35:235–245. <https://doi.org/10.3375/043.035.0204>
- Fargen, C., S.M. Emery, and M.M. Carreiro. 2015. Influence of *Lonicera maackii* invasion on leaf litter decomposition and macroinvertebrate communities in an urban stream. 35:392–403. <https://doi.org/10.3375/043.035.0303>

- Verble-Pearson, R., and S. Pearson. 2016. European fire ant presence decreases native arboreal insect abundance in Acadia National Park, Maine, USA. 36:162–165. <https://doi.org/10.3375/043.036.0207>
- Herakovich, H., M. DeVries, and L.S. Eberhardt. 2016. Branch morphology of nonnative *Elaeagnus* shrubs and potential consequences for avian activity in midwestern habitats. 36:323–327. <https://doi.org/10.3375/043.036.0312>
- Masters, J.A., A.N. Bryant, M.M. Carreiro, and S.M. Emery. 2017. Does removal of the invasive shrub *Lonicera maackii* alter arthropod abundance and diversity? 37:228–232. <https://doi.org/10.3375/043.037.0211>
- Peebles-Spencer, J.R., and D.L. Gorchov. 2017. Are native tree seedlings facilitated by an invasive shrub where white-tailed deer are abundant? 37:540–548. <https://doi.org/10.3375/043.037.0410>
- Higham, M., B.M. Hoven, D.L. Gorchov, and K.S. Knight. 2017. Patterns of coarse woody debris in hardwood forests across a chronosequence of ash mortality due to the emerald ash borer (*Agilus planipennis*). 37:406–411. <https://doi.org/10.3375/043.037.0313>
- Moyer, S.A., and J.S. Brewer. 2018. Competitive responses and effects of the invasive grass *Microstegium vimineum* during oak woodland restoration. 38:139–147. <https://doi.org/10.3375/043.038.0204>
- Marshall, J.M. 2021. Spotted knapweed spread and plant community changes in a lacustrine dune system. 41:11–17. <https://doi.org/10.3375/043.041.0103>
- Sena, K., L. Gauger, T. Johnson, F. Shirkey, W. Caldbeck, J. Hammock, A. Kim, B. Mazza, I. Pethtel, and W. Leuenberger. 2021. Honeysuckle (*Lonicera maackii*) presence is associated with reduced diversity and richness of flowering spring flora in central Kentucky. 41:249–257. <https://doi.org/10.3375/20-41>
- Collins, R.J., C.A. Copenheaver, J.N. Barney, and P.J. Radtke. 2020. Using invasional meltdown theory to understand patterns of invasive richness and abundance in forests of the northeastern USA. 40:336–344. <https://doi.org/10.3375/043.040.0406>
- Robertson, D.J., and M. Coll. 2019. Effects of riparian invasive nonindigenous plants on freshwater quantity and ecological functioning in mesic temperate landscapes. 39:22–32. <https://doi.org/10.3375/043.039.0102>
- Maynard-Bean, E., and M. Kaye. 2021. The seasonal influence of invasive shrubs on light and temperature in an eastern deciduous forest understory. 41:186–194. <https://doi.org/10.3375/043.041.0304>

### ***Tolerances and Limitations on Dispersal, Recruitment, and Survival of Invasive Species***

- Craves, J.A. 2015. Birds that eat nonnative buckthorn fruit (*Rhamnus cathartica* and *Frangula alnus*, Rhamnaceae) in eastern North America. 35:279–287. <https://doi.org/10.3375/043.035.0208>
- Kurylo, J. S. Raghu, and B. Molano-Flores. 2015. Flood tolerance in common buckthorn (*Rhamnus cathartica*). 35:302–307. <https://doi.org/10.3375/043.035.0212>
- Bennett, A.J., W.C. Conway, C.E. Comer, H.M. Williams, and S.B. Bosworth. 2015. Seedbank potential of Chinese tallow tree (*Triadica sebifera*) in a Texas bottomland hardwood forest. 35:581–584. <https://doi.org/10.3375/043.035.0410>
- Gowton, C., A. Budsock, and D. Matlaga. 2016. Influence of disturbance on Japanese knotweed (*Fallopia japonica*) stem and rhizome fragment recruitment success within riparian forest understory. 36:259–267. <https://doi.org/10.3375/043.036.0306>

- Rundel, P.W., and J.E. Keeley. 2016. Dispersal limitation does not control high elevation distribution of alien plant species in the southern Sierra Nevada, California. 36:277–287. <https://doi.org/10.3375/043.036.0308>
- Stevens, M.T., C.D. Roush, and L. Chaney. 2018. Summer drought reduces the growth of invasive tree-of-heaven (*Ailanthus altissima*) seedlings. 38:230–236. <https://doi.org/10.3375/043.038.0403>
- Deschenes, E., E. Caubel, and L. Sirois. 2019. Parental plant elevation does not affect nonnative *Poa annua*'s seed germination and propagation potential. 39:333–338. <https://doi.org/10.3375/043.039.0305>
- Grant, T.A., T.L. Shaffer, and B. Flanders. 2020. Patterns of smooth brome, Kentucky bluegrass, and shrub invasion in the northern Great Plains vary with temperature and precipitation. 40:11–22. <https://doi.org/10.3375/043.040.0103>

### ***Understanding the Relationship between Wildfire and Invasive Species***

- Morris, L.R. and E.A. Leger. 2016. Secondary succession in the sagebrush semidesert 66 years after fire in the Great Basin, USA. 36:187–193. <https://doi.org/10.3375/043.036.0211>
- Grant-Hoffman, M.N., A. Lincoln, and J. Dollerschell. 2018. Post-fire native seed use in western Colorado: A look at burned and unburned vegetation communities. 38:286–297. <https://doi.org/10.3375/043.038.0409>
- Floyd, M.L., W.H. Romme, and D.D. Hanna. 2021. Effects of recent wildfires in piñon-juniper woodlands of Mesa Verde National Park, Colorado, USA. 41:28–38. <https://doi.org/10.3375/043.041.0105>
- Rondeau, R.J., D.G. Anderson, J.E. Handwerk, and T. Spector. 2022. Post-fire effects on the globally imperiled Chapin Mesa milkvetch (*Astragalus schmollii*), 2001–2019. 42:4–17. <https://doi.org/10.3375/21-14>

### ***Successful Restoration (challenges, management strategies, measuring success)***

- Tucker, R.C., B.B. Rothermel, and J.H. Daskin. 2017. Preparing Florida pasture for grassland restoration: Seedling establishment after herbiciding and tilling. 37:39–48. <https://doi.org/10.3375/043.037.0107>
- Petix, M.I., M.A. Bahm, and T.N. Kaye. 2018. Development of techniques to improve coastal prairie restoration on the Clatsop Plains, Oregon. 38:268–274. <https://doi.org/10.3375/043.038.0407>
- Leahy, M.J., S. Buback, and C.J. Maginel III. 2020. Twenty years of tallgrass prairie reconstruction and restoration at Pawnee Prairie Natural Area, Missouri. 40:62–71. <https://doi.org/10.3375/043.040.0108>
- Barron, J., and J. Beston. 2022. Pollinator abundance and diversity under differing wet prairie management. 42:313–318. <https://doi.org/10.3375/22-13>
- Hodges, M.S., and C. Goodwillie. 2023. Investigating the role of soil legacy effects in the management of *Lespedeza cuneata*, an invasive legume. 43:124–134. <https://doi.org/10.3375/0885-8608-43.2.124>
- Emry, D.J., R.J. Mercader, P.E. Bergeron, J.V. Eilert, and B.A. Riddle. 2024. Small-scale Amur honeysuckle removal and passive restoration may not create long-term success. 44:98–103. <https://doi.org/10.3375/2162-4399-44.2.98>
- Chakravorty, J., J.A. Harrington, and E.M. Bach. 2024. Bison grazing in eastern tallgrass prairie does not alter plant diversity after five years. 44:215–222. <https://doi.org/10.3375/2162-4399-44.4.215>

## **EDRR & Prevention**

- Frey, M. 2017. An invasive plant watch list of the National Capital Regional national parks (USA). 37:108–117. <https://doi.org/10.3375/043.037.0113>
- Overholt, W.A., and A.R. Franck. 2017. The invasive legacy of forage grass introductions into Florida. 37:254–264. <https://doi.org/10.3375/043.037.0214>
- Jewitt, A., E. Antolos, C. Lutz, and J. Dean. 2021. Targeted species projects for volunteers to increase early detection capacity: The water chestnut mapping challenge. 41:203–208. <https://doi.org/10.3375/043.041.0306>
- Young, B.E., M.T. Lee, M. Frey, K. Barnes, and P. Hopkins. Using citizen science observations to develop managed area watch lists. 41:307–314. <https://doi.org/10.3375/21-8>

## **Protecting Natural Areas and Species of Concern from Invasive Species**

### *Strategies for Assessing Natural Area Condition/Health and Identifying Species, Locations, and Management Actions to Better Protect Natural Areas*

- McMillan, N.A., D.L. Hagan, K.E. Kunkel, and D.S. Jachowski. 2020. Assessing large herbivore management strategies in the northern Great Plains using rangeland health metrics. 40:273–280. <https://doi.org/10.3375/043.040.0324>
- Gardner, H.W. 2016. Seed dispersal by roadside mowing. 36:102–104. <https://doi.org/10.3375/043.036.0117>
- Chapman, J.I., A.L. Myers, A.J. Burky, and R.W. McEwan. 2015. Edge effects, invasion, and the spatial pattern of herb-layer biodiversity in an old-growth deciduous forest fragment. 35:439–451. <https://doi.org/10.3375/043.035.0307>
- Taggart, J.B., J.G. Sasser, J.W. Dodson, and J.M. Ellis. 2015. Distribution and management of invasive plant populations in state park properties of the North Carolina coastal plain. 35:476–484. <https://doi.org/10.3375/043.035.0314>
- Ramírez-Cruz, G.A., P.E. Mendoza-Hernández, I. Solano-Zavaleta, and J.J. Zúñiga-Vega. 2018. How widespread are nonnative species? Estimating habitat occupancy in an ecological reserve within a megacity. 38:68–87. <https://doi.org/10.3375/043.038.0108>
- Tartaglia, E.S., M.F.J. Aronson, and J. Raphael. 2018. Does suburban horticulture influence plant invasions in a remnant natural area? 38:259–267. <https://doi.org/10.3375/043.038.0406>
- Otto, N., M. Brunson, and C. Aslan. 2023. Disturbance and invasive plant occurrence along high-elevation boundaries surrounding California protected areas. 43:72–77. <https://doi.org/10.3375/22-15>
- Perles, S., J. Shreiner, and L.A. Starcevich. 2023. Monitoring over 22 years documents invasion of rare riverscours plant community on the Delaware River. 43:98–107. <https://doi.org/10.3375/0885-8608-43.2.98>
- Tovar E., and J.W. Matthews. 2023. Species richness and floristic quality metrics differ in their sensitivity to *Lonicera maackii* invasions with increasing area. 43:108–116. <https://doi.org/10.3375/0885-8608-43.2.108>

### *Protecting Species of Concern*

- Medina, F.M. 2021. Land stewardship and protection of an endangered plant species in an insular World Biosphere Reserve. 41:209–212. <https://doi.org/10.3375/043.041.0307>
- Beranek, C.T., J. Clulow, and M. Mahony. 2020. Wetland restoration for the threatened green and golden bell frog (*Litoria aurea*): Development of a breeding habitat designed to passively manage chytrid-induced amphibian disease and exotic fish. 40:362–374. <https://doi.org/10.3375/043.040.0409>



- Wilson, L.G., and A.S. David. 2024. Sandy roadsides as habitat for endemic and exotic plant species of the Florida scrub. 44:183–189. <https://doi.org/10.3375/2162-4399-44.3.183>

***Defining Invasive Species and Managing Plant Communities under Climate Change***

- Ohsawa, T., and T.E. Jones. 2017. How can protected area managers deal with nonnative species in an era of climate change? 37:240–253. <https://doi.org/10.3375/043.037.0213>
- McCollom, J., K. Smith, M. Duever, and F. Bled. 2022. Vegetation response to mechanically and chemically treating willows (*Salix caroliniana*) invading marshes in the Corkscrew Watershed, southwest Florida. 42:39–55. <https://doi.org/10.3375/21-17>
- McAninch, A., S. Smith, J. Thompson Slacum, and W. Buettner. 2024. Skunk cabbage (*Symplocarpus foetidus*) coverage reduction in a wetland that is habitat for the bog turtle (*Glyptemys muhlenbergii*). 44:240–243. <https://doi.org/10.3375/2162-4399-44.4.240>