



Correction to “Whole Genome Shotgun Sequences for Microsatellite Discovery and Application in Cultivated and Wild Macadamia (Proteaceae)”

Authors: Nock, Catherine J., Elphinstone, Martin S., Ablett, Gary, Kawamata, Asuka, Hancock, Wayne, et al.

Source: *Applications in Plant Sciences*, 5(8)

Published By: Botanical Society of America

URL: https://doi.org/10.3732/apps.1300089_ERR

ERRATUM

CORRECTION TO “WHOLE GENOME SHOTGUN SEQUENCES FOR MICROSATELLITE DISCOVERY AND APPLICATION IN CULTIVATED AND WILD *MACADAMIA* (PROTEACEAE)”

CATHERINE J. NOCK, MARTIN S. ELPHINSTONE, GARY ABLETT, ASUKA KAWAMATA,
WAYNE HANCOCK, CRAIG M. HARDNER, AND GRAHAM J. KING

Vol. 2 No. 4: 1300089, April 2014, doi:10.3732/apps.1300089

The authors discovered an error in a primer sequence reported in Table 1. The corrected primer sequence (locus Mac0010, reverse

primer sequence) is listed below in boldface. The authors apologize for the error. The published article (full-text and PDF) has been corrected.

TABLE 1. Correction to: Characterization of 12 polymorphic microsatellite loci developed in *Macadamia integrifolia*.^a

Locus	Primer sequences (5'–3')	Repeat motif	Fluorescent label	Allele size range (bp)	T _a (°C)	GenBank accession no.
Mac001	F: GTGACTGGTGGACACCAAACCCA R: GCACTAGGTGTCACCCCCACTTCT	(AT) ₁₁	VIC	412–420	60	KF130888
Mac002	F: CCCAACTGGGTTTGCAAGGACCAA R: AGTAGCCGCGAGCTGATCGAAGAT	(CT) ₈	NED	283–297	60	KF130889
Mac003	F: TGGACCATTGAGGAGTTGGACTGT R: TCCACCGTTTCACTTTCGTCAGCC	(AT) ₉	FAM	258–276	60	KF130890
Mac004	F: CAAGAGTGTCCAGCGAGGGAATGC R: GGGAGACATCATACTTTTGACACATGCC	(AT) ₁₁	NED	224–240	60	KF130891
Mac005	F: CATAGCATGAGTTTCAAGGGATAA R: ATTACAAACCCACTCTTCGATTT	(AAG) ₁₀	FAM	331–343	60	KF130892
Mac006	F: TTTTCATCATTTGATCATCATAGGTACA R: GAGCTAATACTTAACCAGGTGAACA	(AG) ₁₁	PET	322–360	55	KF130893
Mac007	F: AGGCCTTGGGATGTTCCAGTGTGA R: GCAATCAACACAAGCACCTGTGGC	(CT) ₁₁	NED	368–390	60	KF130894
Mac008	F: AACGGTTATGTCAAGTGCAACAGGA R: TGACTTTAGCCCTCACTTCAAAGCCA	(AT) ₁₀	FAM	388–398	60	KF130895
Mac009	F: CAACTCTCTCCTCCCTCAGATTCTC R: TAAATCTATGCCACATCACTAGGC	(AAG) ₁₃	VIC	241–244	60	KF130896
Mac010	F: GCAACTGGATCAGCACATAAGAAT R: TCCGATCATAGTCTTAGCATTTC	(AG) ₁₁	PET	259–297	55	KF130897
Mac011	F: AGAGGGCGAGATCCCTGACTCTGA R: TGAATTTGGCGTGGGGAAGCGT	(CT) ₉	FAM	175–199	60	KF130898
Mac012	F: TATCAGGACCATCAACAATGATTT R: GCCTGTTGTAGGTAAGTGGAGAT	(AC) ₁₀	VIC	309–321	60	KF130899

Note: T_a = annealing temperature used for all *Macadamia* species and cultivars.

^aValues based on 22 samples representing *Macadamia* cultivars located at Clunes Varietal Trial M2, New South Wales, Australia.

doi:10.3732/apps.1300089_ERR

Applications in Plant Sciences 2017 5(8): 1300089; <http://www.bioone.org/loi/apps> © 2017 Nock et al. Published by the Botanical Society of America. This is an open access article distributed under the terms of the Creative Commons Attribution License (CC-BY-NC-SA 4.0), which permits unrestricted noncommercial use and redistribution provided that the original author and source are credited and the new work is distributed under the same license as the original.